



[®]
elmex

since 1963




Price List

Effective from October 2026



Converging
Innovations  Expanding
Solutions



**Solutions For
Connectivity**




**Solutions For
Solar Photovoltaic**



**Solutions For
Metering & Protection**



**Solutions For
Control & Instrumentation**



**Solutions For
Railways**



**Solutions For
Oil & Gas Industry**

INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
DIN RAIL MOUNTED TERMINALS POLYAMIDE 6.6		STUD TYPE TERMINALS	
FEED THROUGH TERMINALS		KATM3E	9
KUT2.5	6	KATM4E	9
KUT4	6	KBTM4	9
KUT6	6	KBTM5-15	9
KUT10	6	KBTM6	9
KUT16	6	KBT100	9
KUT25	6	KBTM4E	9
KUT35	6	KBTM5E	10
KUT50	6	KBTM6E	10
KUT50/70A	6		
KUT95	6	STUD TYPE TERMINALS (Shrouded)	
MULTIPLE OUTPUT TERMINALS (KUT SERIES)		KATM3C (Shrouded Version)	10
KUT4-1X2	6	KATM4C (Shrouded Version)	10
KUT4-2X2	6	KATM5C (Shrouded Version)	10
EARTH TERMINALS		KBTM4C (Shrouded Version)	10
ET4	6	KBTM5-15C (Shrouded Version)	10
ET6	6	KBTM6C (Shrouded Version)	10
ET10	7	KABTM4C (Shrouded - Screw & Nut Driver Operated)	10
ET16	7	KABTM5C (Shrouded - Screw & Nut Driver Operated)	10
ET35	7	OAT2.5	10
ET50	7	OAT6	10
MULTI-LEVEL TERMINALS (DOUBLE DECK)		OAT25	10
KU2D4	7	FUSE TERMINALS	
KU2D4S (Internally Shorted)	7	KUDF4NV	11
KUDD4	7	KUDF4AD (With LED Indication)	11
SPRING LOADED TERMINALS		KUFH4	11
KULT4	7	KUFH4D (With LED Indication)	11
KULT6	7	KUFH4A (With LED Indication)	11
KULT1	7	KUF10	11
THERMOCOUPLE TERMINALS		KUF10D (With LED Indication)	11
KUT4NTCK	8	KUF10A (With LED Indication)	11
KUT4NTCJ	8	FUSE FEED THROUGH TERMINALS	
KUT4NTCT	8	KUDDF4	11
KUT4NTCE	8	KUDDF4AD (With LED Indication)	11
MULTI-LEVEL TERMINALS (TRIPLE DECK)		PLUG & SOCKET TERMINALS	
DU3D4	8	PS8M (2W to 12W)	11
DUSD4	8	DISCONNECTING TERMINALS (SLIDING LINK TYPE)	
FEED THROUGH TERMINALS (KUT-N SERIES)		KLTD4NV	12
KUT2.5N	8	KLTD4-2W	12
KUT4N	8	KUTSD6	12
KUT6N	8	KUTD10	12
KUT10N	8	KULTD6 (Spring Loaded)	12
KUDD4N	8	OAT6T (Hinged Type)	12
EARTH TERMINALS (N SERIES)		OAT6DTS (Hinged Type)	12
ETN4	8	OAT6DTS-2W (Hinged Type)	12
ETN6	8	OAT10DTS	12
ETN10	9	DISCONNECTING TERMINALS (KNIFE EDGE TYPE)	
ETDD4N	9	KULTD4	12
STUD TYPE TERMINALS (SCREW DRIVER OPERATED)		KULTD4WS (Spring Loaded)	12
KATM3	9	KUDT4TS	12
KABTM3 (Screw & Nut Driver Operated)	9	KUDT4-2X2	12
KATM4	9	KUDT6	13
KABTM4 (Screw & Nut Driver Operated)	9		
KATM5	9		
KABTM5	9		

INDEX



PRODUCT	PAGE NUMBER
POWER TERMINALS (PANEL MOUNTED)	
PAT30	13
PAT100	13
PAT150	13
PAT250	13
POWER TERMINALS	
DPBB50	13
DPBB50CN	13
DPBB70	13
DPBB70CN	13
DPBB120	13
DPBB120CN	13
DPBB185N	13
DPBB240	13
POWER TERMINALS (Finger Safe)	
SPT35 (35mm Rail Mounted)	14
SPT70 (35mm Rail Mounted)	14
SPT95 (35mm Rail Mounted)	14
SPT120 (35mm Rail Mounted)	14
SPT150 (35mm Rail Mounted)	14
SPT185 (35mm Rail Mounted)	14
SPT240 (35mm Rail Mounted)	14
SPT300 (35mm Rail Mounted)	14
DISTRIBUTION BLOCKS	
FDBK-1X2	14
FDBK-1X4	14
FDBK-1X8	14
FDBK3	14
FDBK4	14
FDBK8	14
DBK-1X2	14
DBK-1X4	14
DBK-1X8	15
DFBK12	15
DBK3	15
DBK4	15
DBK5	15
DBK8	15
DBK150/16-1X2	15
DBK150/16-1X4	15
DBK150/16-1X8	15
DBK150/25-1X2	15
DBK150/25-1X4	15
DBK150/25-1X8	15
DBK150/M6C-1X2	15
DBK150/M6C-1X4	15
DBK150/M6C-1X8	15
COMPACT DISTRIBUTION BLOCKS	
DBD16	15
DBD35	15
DTB35-10	16
DTB35-10X4	16

PRODUCT	PAGE NUMBER
COMPONENT HOUSING	
KPCH4	16
KPCH6	16
KUDD4CC1 (Common Cathode 1)	16
KUDD4CC2 (Common Cathode 2)	16
KUDD4CA1 (Common Anode 1)	16
KUDD4CA2 (Common Anode 2)	16
KUDD4D1 (One Diode)	16
KUDD4R (One Resistor)	16
KUDD4MOV (With MOV)	16
MICRO TERMINALS (15mm Rail Mounted)	
SUT4	16
SET4 (Earthing)	16
MICRO TERMINALS (Panel Mounted)	
PET4	17
PBTM3	17
PBTM4	17
SPRING CLAMP TERMINALS- FEED THROUGH (35mm Rail Mounted)	
DST2.5	17
DST4	17
DST6	17
DST10	17
DST16	17
DST35	17
DST2.5-1X2	17
DST2.5-2X2	17
DST4-1X2	17
DST4-2X2	17
DST6-1X2	17
DST10-1X2	17
DST16-1X2	18
DST2.5-2C1P	18
DST2.5-2C2P	18
DST2.5-2C1PP	18
SCT2.5 (Side - Entry)	18
SCT4 (Side - Entry)	18
SCT6 (Side - Entry)	18
SCT10 (Side - Entry)	18
SPRING CLAMP TERMINALS - MULTI LEVEL	
DSDD2.5	18
DS3L2.5	18
DS8LP16	18
DS8LP32	18
SPRING CLAMP TERMINALS - FUSE	
DCF4	18
DCF4D (With LED Indication)	18
DCF4A (With LED Indication)	18
SCF6	18
SPRING CLAMP DISCONNECT TERMINALS	
DSDT2.5	19
DSDT2.5-2X2	19
SPRING CLAMP DISTRIBUTION BLOCKS	
DTB35-10	19

INDEX




PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
SPRING CLAMP DISTRIBUTION BLOCKS		SPRING LOADED TERMINALS	
DTB35-10X4	19	CSLT1	22
SPRING CLAMP TERMINALS (EARTHING)		STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
DSET2.5	19	CATM3	22
DSET4	19	CATM4	22
DSET6	19	CATM5	22
DSET10	19	STUD TYPE TERMINALS (NUT DRIVER OPERATED)	
SCET4	19	CBTM4	23
DSET2.5-1X2	19	CBTM5	23
DSET2.5-2X2	19	CBTM6	23
SPRING CLAMP MICRO TERMINALS (15mm Rail Mounted)		CBTM6S1	23
MCT2.5MC	19	STUD TYPE TERMINALS (SCREW & NUT DRIVER OPERATED)	
SCT2.5MC	19	CABTM4	23
SPRING CLAMP MICRO TERMINALS (PANEL MOUNTED)		PLUG & SOCKET TERMINALS	
MCT1.5	20	PSC1/5	23
MCT2.5	20	TEST - DISCONNECT TERMINALS	
MCT2.5P4	20	CATDM4	23
MCT4	20	CLTDM4	23
MCT4P4	20	POWER TERMINALS	
SPRING CLAMP MICRO TERMINALS (DIN RAIL MOUNTED)		CBT100	23
DMCT2.5P4	20	CBT110	23
PLUG & SOCKET TERMINALS		CBT170	23
DPSC5.08 (Wire to Wire)	20	CBT250	23
DPSC5.08 (Panel Mounted)	20	CBT300	23
LIGHTING POLE TERMINALS		POWER TERMINALS (WITH TAPPED CURRENT BAR)	
LPT225	20	CBT110T	24
LPT235	20	CBT170T	24
LPT325	20	CBT250T	24
LPT335	20	CBT300T	24
NEUTRAL LINKS		ACCESSORIES	
KNL4	21	DIN RAIL & END CLAMPS	29
KNL16	21	MARKING LABELS & WARNING LABELS	30
KNL35	21	END PLATES	31-32
DIN RAIL MOUNTED TERMINALS MELAMINE		PARTITION PLATES	32
FEED THROUGH TERMINALS		INTER CONNECTING ACCESSORIES	33-34
CST2.5	22	PROTECTION COVERS	34
CST6	22		
CST10	22		
CST16	22		
CST25	22		
CST35	22		


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Feed Through Terminals


KUT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT2.5	12.60	13.90
	Voltage: 800 V	End Plate	KPNS	7.20	8.00
	Current: 24 A	Shorting Link	CCLM2.5K	18.20	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				


KUT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT6	22.00	24.20
	Voltage: 800 V	End Plate	KPX	8.20	9.10
	Current: 41 A	Shorting Link	CCLA6	21.80	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-
	Torque: 0.8 Nm				


KUT16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT16	54.50	60.00
	Voltage: 1000 V	End Plate	KPY	10.70	11.80
	Current: 76 A	Shorting Link	CCLA16	27.90	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.60 (5 labels)	-
	Torque: 1.2 Nm				


KUT35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT35	128.00	140.80
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	CCLA35K	37.00	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 3 Nm				


KUT50/70A				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50/70A	360.00	396.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 192 A	Shorting Link	CCLA50	187.60	-
	Wire Size: 70 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 8 Nm				

KUT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4	15.30	16.90
	Voltage: 800 V	End Plate	KPX	8.20	9.10
	Current: 32 A	Shorting Link	CCLA2.5	21.80	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 0.5 Nm				


KUT10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT10	29.00	31.90
	Voltage: 800 V	End Plate	KPX	8.20	9.10
	Current: 57 A	Shorting Link	CCLA10	23.70	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-
	Torque: 1.2 Nm				


KUT25				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT25	90.00	99.00
	Voltage: 1000 V	End Plate	KPT	10.70	11.80
	Current: 101 A	Shorting Link	CCLA25	31.00	-
	Wire Size: 25 mm ²	Marker	LabelKN12	12.60 (5 labels)	-
	Torque: 2.3 Nm				

KUT50				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50	352.00	387.20
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 150 A	Shorting Link	CCLA50	187.60	-
	Wire Size: 50 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 8 Nm				


KUT95				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT95	595.00	654.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 232 A	Shorting Link	Not Required	-	-
	Wire Size: 95 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 20 Nm				


Multiple Output Terminals (KUT Series)

KUT4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-1X2	36.00	39.60
	Voltage: 1000 V	End Plate	KPM4	14.80	16.30
	Current: 32 A	Shorting Link	CCLA4N	20.10	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				

KUT4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-2X2	50.00	55.00
	Voltage: 800 V	End Plate	KPMD4	20.30	22.40
	Current: 24 A	Shorting Link	CCLA4N	20.10	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				

Earth Terminals

ET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET4	106.60	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	10.00	-

ET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET6	123.80	-
	Wire Size: 6 mm ²	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.60	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6




ET10		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 10 mm² Torque: 1.2 Nm</p> 	Terminal	ET10	175.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.60	-


ET16		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 16 mm² Torque: 1.2 Nm</p> <p></p>	Terminal	ET16	190.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN12	12.60 (5 labels)	-

ET35			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 35mm² Torque: 3 Nm</p> 	Terminal	ET35	415.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN12	12.60 (5 labels)	-

ET50		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 50mm² Torque: 8 Nm</p> <p>CE</p>	Terminal	ET50	1000.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN17	13.70 (5 labels)	-

Multi-Level Terminals (Double Deck)

KU2D4		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> <p></p>	Terminal	KU2D4	41.50	45.70
	End Plate	EPDD4	14.30	15.80
	Shorting Link	CCLADD	18.90	-
	Marker	LabelKN5.5	10.00	-

KU2D4S (Internally Shorted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> <p></p>	Terminal	KU2D4S	55.00	60.50
	End Plate	EPDD4	14.30	15.80
	Shorting Link	SLC4N	23.70	-
	Marker	LableKN5.5	10.00	-

KUDD4				Std. Colour	Non Std. Colour
 	IEC 60947-7-1	Terminal	KUDD4	45.50	50.10
	Voltage: 500 V	End Plate	KPDD	14.30	15.80
	Current: 24 A	Shorting Link	CCLADD	18.90	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.4 Nm				

Spring Loaded Terminals

KULT4			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm</p> <p></p>	Terminal	KULT4	46.00	50.60
	End Plate	KPSL	14.90	16.40
	Shorting Link	CCLAK4	20.60	-
	Marker	LabelKN5.5	10.00	-

KULT6			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 1.4 Nm</p> <p></p>	Terminal	KULT6	50.00	55.00
	End Plate	KPSL	14.90	16.40
	Shorting Link	CCLAK6	24.20	-
	Marker	LabelKN8	11.60	-


KULT1				Std. Colour	Non Std. Colour
 	IEC 60947-7-1	Terminal	KULT1	65.00	71.50
	Voltage: 1000 V	End Plate	KPSL	14.90	16.40
	Current: 57 A	Shorting Link	CCLA1LK	31.50	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-
	Torque: 1.2 Nm				

Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Thermocouple Terminals

KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE


 <p>IEC 60947-7-1 Voltage: 400 V Current: 5 A Wire Size: 4 mm² Torque: 0.5 Nm</p> <p>CE</p>	Type	Terminal	Std. Colour	Non Std. Colour
	'K' Type	KUT4NTCK	130.00	143.00
	'J' Type	KUT4NTCJ	165.50	182.10
	'T' Type	KUT4NTCT	165.50	182.10
	'E' Type	KUT4NTCE	165.50	182.10
	End Plate	KPXN	9.80	10.80
	Marker	LabelKN5.5	10.00	-

Multi-Level Terminals (Triple Deck)

DU3D4


 <p>IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p> <p>UL RI CE</p>	Terminal	DU3D4	Std. Colour	Non Std. Colour
	End Plate	DP3D	19.80	21.80
	Shorting Link	CCLATD	18.90	-
	Marker	LabelKN5.5	10.00	-

DUSD4


 <p>IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p> <p>UL RI CE</p>	Terminal	DUSD4	Std. Colour	Non Std. Colour
	End Plate	DPSD	14.90	16.40
	Shorting Link	CCLATD	18.90	-
	Marker	LabelKN5.5	10.00	-

Feed Through Terminals (KUT-N Series)

KUT2.5N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p> <p>UL RI CE</p>	Terminal	KUT2.5N	Std. Colour	Non Std. Colour
	End Plate	KPXN	9.80	10.80
	Shorting Link	CCLM2.5N	18.20	-
	Marker	LabelKN5	11.60	-


KUT4N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4mm² Torque: 0.5 Nm</p> <p>UL RI CE</p>	Terminal	KUT4N	Std. Colour	Non Std. Colour
	End Plate	KPXN	9.80	10.80
	Shorting Link	CCLA4N	20.10	-
	Marker	LabelKN5.5	10.00	-

KUT6N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p> <p>UL RI CE</p>	Terminal	KUT6N	Std. Colour	Non Std. Colour
	End Plate	KPXN	9.80	10.80
	Shorting Link	CCLA6N	21.80	-
	Marker	LabelKN8	11.60	-

KUT10N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 63 A Wire Size: 10mm² Torque: 1.2 Nm</p> <p>UL RI CE</p>	Terminal	KUT10N	Std. Colour	Non Std. Colour
	End Plate	KPXN	9.80	10.80
	Shorting Link	CCLA10N	23.70	-
	Marker	LabelKN10	12.60	-

KUDD4N

 <p>IEC 60947-7-1 Voltage: 630 V Current: 28 A Wire Size: 4 mm² Torque: 0.5 Nm</p> <p>UL RI CE</p>	Terminal	KUDD4N	Std. Colour	Non Std. Colour
	End Plate	KPDDN	22.30	24.60
	Shorting Link	CCLADDN	24.20	-
	Marker	LabelKN5.5	10.00	-

Earth Terminals (N-Series)

ETN4


 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p> <p>CE</p>	Terminal	ETN4	Std. Colour	Non Std. Colour
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5.5	10.00	-


ETN6

 <p>IEC 60947-7-2 Wire Size: 6 mm² Torque: 0.8 Nm</p> <p>CE</p>	Terminal	ETN6	Std. Colour	Non Std. Colour
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




ETN10			Std. Colour	Non Std. Colour	
	IEC 60947-7-2	Terminal	ETN10	161.00	-
	Wire Size: 10 mm ²	End Plate	Not Required	-	-
	Torque: 1.2 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.60	-

ETDD4N			Std. Colour	Non Std. Colour	
	IEC 60947-7-2	Terminal	ETDD4N	193.00	-
	Wire Size: 4 mm ²	End Plate	KPDDN (Gr)	24.60	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	10.00	-

Stud Type Terminals

KATM3				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM3	49.00	53.90
	Voltage: 800 V	End Plate	KPS4	13.00	14.30
	Current: 24 A	Shorting Link	KSL3	31.30	-
	Wire Size: 2.5 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 0.5 Nm				


KABTM3 (Screw & Nut Driver Operated)			Std. Colour	Non Std. Colour	
 CE	IEC 60947-7-1	Terminal	KABTM3	50.00	55.00
	Voltage: 800 V	End Plate	KPS4	13.00	14.30
	Current: 24 A	Shorting Link	KSL3	31.30	-
	Wire Size: 2.5 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 0.5 Nm				


KATM4			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KATM4	66.00	72.60
	Voltage: 1000 V	End Plate	KPS4	13.00	14.30
	Current: 57 A	Shorting Link	KSL4	32.70	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 1.2 Nm				

KABTM4 (Screw & Nut Driver Operated)			Std. Colour	Non Std. Colour	
 CE	IEC 60947-7-1	Terminal	KABTM4	65.50	72.10
	Voltage: 1000 V	End Plate	KPS4	13.00	14.30
	Current: 57 A	Shorting Link	KSL4	32.70	-
	Wire Size: 10 mm²	Marker	LabelKN6.5	10.50	-
	Torque: 1.2 Nm				

KATM5			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KATM5	72.50	79.80
	Voltage: 800 V	End Plate	KPS4	13.00	14.30
	Current: 76 A	Shorting Link	KSL4	32.70	-
	Wire Size: 16 mm²	Marker	LabelKN6.5	10.50	-
	Torque: 2 Nm				

KABTM5			Std. Colour	Non Std. Colour	
 	IEC 60947-7-1	Terminal	KABTM5	72.00	79.20
	Voltage: 800 V	End Plate	KPS4	13.00	14.30
	Current: 76 A	Shorting Link	KSL5	33.90	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 2 Nm				

KATM3E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM3E	37.50	41.30
	Voltage: 800 V	End Plate	KPS4	13.00	14.30
	Current: 24 A	Shorting Link	KSL3	31.30	-
	Wire Size: 2.5 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 0.5 Nm				


KATM4E			Std. Colour	Non Std. Colour	
	IEC 60947-7-1	Terminal	KATM4E	41.50	45.70
	Voltage: 1000 V	End Plate	KPS4	13.00	14.30
	Current: 57 A	Shorting Link	KSL4	32.70	-
	Wire Size: 10 mm²	Marker	LabelKN6.5	10.50	-
	Torque: 1.2 Nm				

KBTM4				Std. Colour	Non Std. Colour
 	IEC 60947-7-1	Terminal	KBTM4	65.50	72.10
	Voltage: 1000 V	End Plate	KPS4	13.00	14.30
	Current: 57 A	Shorting Link	KSL4	32.70	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 1.2 Nm				

KBTM5-15			Std. Colour	Non Std. Colour	
 ☎ ☎ ☎	IEC 60947-7-1	Terminal	KBTM5-15	72.00	79.20
	Voltage: 800 V	End Plate	KPS4	13.00	14.30
	Current: 76 A	Shorting Link	KSL5	33.90	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 2 Nm				

KBTM6				Std. Colour	Non Std. Colour
 	IEC 60947-7-1	Terminal	KBTM6	103.00	113.30
	Voltage: 800 V	End Plate	KPS4	13.00	14.30
	Current: 101 A	Shorting Link	KSL6	36.30	-
	Wire Size: 25 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 2.5 Nm				

KBT100				Std. Colour	Non Std. Colour
 	IEC 60947-7-1	Terminal	KBT100	100.00	110.00
	Voltage: 800 V	End Plate	KPS100	15.70	17.30
	Current: 125 A	Partition Plate	KBXF	23.50	25.90
	Wire Size: 35 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 2.5 Nm				

KBTM4E				Std. Colour	Non Std. Colour
 CE	IEC 60947-7-1	Terminal	KBTM4E	43.00	47.30
	Voltage: 1000 V	End Plate	KPS4	13.00	14.30
	Current: 57 A	Shorting Link	KSL4	32.70	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 1.2 Nm				

KBTM5E				Std. Colour	Non Std. Colour
 CE	IEC 60947-7-1	Terminal	KBTM5E	50.00	55.00
	Voltage: 800 V	End Plate	KPS4	13.00	14.30
	Current: 76 A	Shorting Link	KSL5	33.90	-
	Wire Size: 16 mm²	Marker	LabelKN6.5	10.50	-
	Torque: 2 Nm				

All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Stud Type Terminals


KBTM6E				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 2 Nm</p>	Terminal	KBTM6E	90.00	99.00	
	End Plate	KPS6	16.20	17.90	
	Marker	LabelKN12	12.60(5 labels)	-	


Stud Type Terminals (Shrouded)

KATM3C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3C	60.00	66.00	
	End Plate	Not Required	-	-	
	Marker	LabelKN6.5	10.50	-	

KATM4C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4C	71.00	78.10	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	

KATM5C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KATM5C	80.00	88.00	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	


KBTM4C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KBTM4C	71.50	78.70	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	


KBTM5-15C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KBTM5-15C	81.50	89.70	
	End Plate	Not Required	-	-	
	Marker	LabelKN12	12.60	-	


KBTM6C (Shrouded)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm² Torque: 2.5 Nm</p>	Terminal	KBTM6C	121.50	133.70	
	End Plate	Not Required	-	-	
	Marker	LabelKN17	13.70(5 labels)	-	

KABTM4C (Shrouded - Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KABTM4C	71.00	78.10	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	

KABTM5C (Shrouded - Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KABTM5C	81.50	89.70	
	End Plate	Not Required	-	-	
	Marker	LabelKN10	12.60	-	

OAT2.5				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6.0 mm² Torque: 0.5 Nm</p>	Terminal	OAT2.5	58.50	64.40	
	End Plate	OEP2.5	12.10	13.40	
	Shorting Link	OSL2.5	30.30	-	
	Marker	LabelKN6.5	10.50	-	


OAT6				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.5 Nm</p>	Terminal	OAT6	72.00	79.20	
	End Plate	OEP6	13.00	14.30	
	Shorting Link	OSL6	32.70	-	
	Marker	LabelKN9	11.60	-	

OAT25				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 125A Wire Size: 35 mm² Torque: 3 Nm</p>	Terminal	OAT25	176.00	193.60	
	End Plate	OEP25	17.30	19.10	
	Shorting Link	KSL7	41.80	-	
	Marker	LabelKN17	13.70(5 labels)	-	

Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Fuse Terminals


KUDF4NV*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4NV	51.50	56.70
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	31.50	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.4 Nm					


KUDF4AD** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4AD	80.00	88.00
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	31.50	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.4 Nm					


KUFH4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4	115.00	126.50
	Voltage: 800 V	End Plate	EPFH	16.10	17.80
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					

KUFH4D*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4D	155.00	170.50
	Voltage: 800 V	End Plate	EPFH	16.10	17.80
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					


KUFH4A*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4A	155.00	170.50
	Voltage: 800 V	End Plate	EPFH	16.10	17.80
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					


KUF10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10	150.00	165.00
	Voltage: 1000 V	End Plate	EPF10	22.40	24.70
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					

KUF10D*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10D	175.00	192.50
	Voltage: 1000 V	End Plate	EPF10	22.40	24.70
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					

KUF10A*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10A	180.00	198.00
	Voltage: 1000 V	End Plate	EPF10	22.40	24.70
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					

Fuse Feed Through Terminals

KUDDF4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4	132.00	145.20
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3A UT/28ALT	Shorting Link	UFSL	31.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.5 Nm					

KUDDF4AD** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4AD	150.00	165.00
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3A UT/28ALT	Shorting Link	UFSL	31.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.5 Nm					

Plug & Socket Terminal

PS8M* (2W to 12W)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PS8M (2 Way) On Request	-	-
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 32 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN6.5	10.50	-
Torque: 0.8 Nm					

* With spare fuse provision in lever.

**Available Signal Voltage AD12V = 12 V (12KΩ), AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ)

***Available Signal Voltage D1 = 24 VDC (27KΩ), D2 = 48 VDC (56 KΩ), D3 = 110 VDC (130 KΩ), D4 = 220 VDC (270 KΩ), D5 = 12 VDC (12 KΩ), A1 = 110 VAC (130 KΩ), A2 = 220 VAC (270 KΩ)


* PS8M-4 Way to 8 Way Prices are shown on page 26


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Disconnecting Terminals (Sliding Link Type)

KLTD4NV				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KLTD4NV	94.00	103.40
	Voltage: 800 V	End Plate	KPLD	18.00	19.80
	Current: 41 A	Shorting Link	KDSL4	33.90	-
	Wire Size: 6 mm ² Torque: 1.2 Nm	Marker	LabelKN5.5	10.00	-


KUTSD6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTSD6	91.00	100.10
	Voltage: 800 V	End Plate	KPSD	16.10	17.80
	Current: 38 A	Shorting Link	SLC6	31.50	-
	Wire Size: 6 mm ² Torque: 1.4 Nm	Marker	LabelKN8	11.60	-


KULTD6 (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD6	175.00	192.50
	Voltage: 800 V	End Plate	KPSLD	17.30	19.10
	Current: 41 A	Shorting Link	SLD6	31.50	-
	Wire Size: 6 mm ² Torque: 1.0 Nm	Marker	LabelKN8	11.60	-


OAT6DTS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6DTS	124.00	136.40
	Voltage: 800 V	End Plate	OEP6DTS	19.20	21.20
	Current: 41 A	Shorting Link	OSL6R	38.80	-
	Wire Size: 6 mm ² Torque: 1.5 Nm	Marker	LabelKN9	11.60	-

OAT10DTS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT10DTS	155.00	170.50
	Voltage: 1000 V	End Plate	OEP10DTS	21.90	24.10
	Current: 57 A	Shorting Link	OSLD10	78.10	-
	Wire Size: 6 mm ² Torque: 2 Nm	Marker	LabelKN12	12.60 (5 labels)	-


KLTD4-2W				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KLTD4 -2W	On Request	On Request
	Voltage: 800 V	End Plate	KPLD	18.00	19.80
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ² Torque: 1.2 Nm	Marker	LabelKN5.5	10.00	-


KUTD10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTD10	133.00	146.30
	Voltage: 630 V	End Plate	KPTD	18.00	19.80
	Current: 61 A	Shorting Link	SLC6	31.50	-
	Wire Size: 10 mm ² Torque: 1.2 Nm	Marker	LabelKN8	11.60	-


OAT6T (Hinged Type)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6T	120.00	132.00
	Voltage: 800 V	End Plate	OEP6T	18.70	20.60
	Current: 41 A	Shorting Link	OSL6R	38.80	-
	Wire Size: 6 mm ² Torque: 1.5 Nm	Marker	LabelKN9	11.60	-


OAT6DTS-2W				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6DTS-2W	250.00	275.00
	Voltage: 800 V	End Plate	OEP6DTS	19.20	21.20
	Current: 41 A	Shorting Link	OSL6R	38.80	-
	Wire Size: 6 mm ² Torque: 1.5 Nm	Marker	LabelKN9	11.60	-

Disconnecting Terminals (Knife Edge Type)

KULTD4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4	56.00	61.60
	Voltage: 800 V	End Plate	KPSD4	13.70	15.10
	Current: 20 A	Shorting Link	SLC4N	23.70	-
	Wire Size: 4 mm ² Torque: 0.6 Nm	Marker	LabelKN5.5	10.00	-


KULTD4TS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4TS	63.00	69.30
	Voltage: 800 V	End Plate	KPSD4	13.70	15.10
	Current: 20 A	Shorting Link	SLC4N	23.70	-
	Wire Size: 4 mm ² Torque: 0.6 Nm	Marker	LabelKN5.5	10.00	-

KULTD4WS (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4WS	On Request	On Request
	Voltage: 800 V	End Plate	KPSD4	13.70	15.10
	Current: 20 A	Shorting Link	SLC4N	23.70	-
	Wire Size: 4 mm ² Torque: 0.6 Nm	Marker	LabelKN5.5	10.00	-


KUDT4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDT4-2X2	105.00	115.50
	Voltage: 800 V	End Plate	KPMD4	20.30	22.40
	Current: 17.5 A	Shorting Link	SLC4N	23.70	-
	Wire Size: 4 mm ² Torque: 0.5 Nm	Marker	LabelKN5.5	10.00	-


All Shorting Link Prices are for 2 Way Shorting.


Disconnecting Terminals (Knife Edge Type)


KUDT6			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	KUDT6	108.00	118.80
	End Plate	KPSD4	13.70	15.10
	Shorting Link	KSLD6	27.90	-
	Marker	LabelKN8	11.60	-

Power Terminals (Panel Mounted)

PAT30			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	PAT 30	42.00	46.20
	End Plate	EPA30	15.60	17.20
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-

PAT150			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 150 A Wire Size: 50 mm² Torque: 6 Nm</p>	Terminal	PAT150	260.00	286.00
	End Plate	EPA100	22.30	24.60
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


PAT100			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 100 A Wire Size: 25 mm² Torque: 3 Nm</p>	Terminal	PAT100	165.00	181.50
	End Plate	EPA100	22.30	24.60
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-

PAT250			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 250 A Wire Size: 95 mm² Torque: 10 Nm</p>	Terminal	PAT250	395.00	434.50
	End Plate	EPA100	22.30	24.60
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-

Power Terminals


DPBB50			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm² Torque: 3 Nm</p>	Terminal	DPBB50	220.00	242.00
	Barrier Plate	BPN70	43.30	47.70
	Marker	LabelKN10	12.60	-


DPBB70			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm² Torque: 3 Nm</p>	Terminal	DPBB70	300.00	330.00
	Barrier Plate	BPN70	43.30	47.70
	Marker	LabelKN10	12.60	-

DPBB120			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm² Torque: 6 Nm</p>	Terminal	DPBB120	435.00	478.50
	Barrier Plate	BPN120	49.30	54.30
	Marker	LabelKN10	12.60	-

DPBB185N			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm² Torque: 14 Nm</p>	Terminal	DPBB185N	1100.00	1210.00
	Barrier Plate	BPA185/240	67.80	74.60
	Marker	LabelKN10	12.60	-

DPBB50CN			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm² Torque: 3 Nm</p>	Terminal	DPBB50CN	225.00	247.50
	Barrier Plate	BPN70	43.30	47.70
	Marker	LabelKN10	12.60	-

DPBB70CN			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm² Torque: 3 Nm</p>	Terminal	DPBB70CN	310.00	341.00
	Barrier Plate	BPN70	43.30	47.70
	Marker	LabelKN10	12.60	-

DPBB120CN			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm² Torque: 6 Nm</p>	Terminal	DPBB120CN	450.00	495.00
	Barrier Plate	BPN120	49.30	54.30
	Marker	LabelKN10	12.60	-

DPBB240			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm² Torque: 25 Nm</p>	Terminal	DPBB240	1180.00	1298.00
	Barrier Plate	BPA185/240	67.80	74.60
	Marker	LabelKN10	12.60	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Power Terminals (Finger Safe)

SPT35 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT35	340.00	374.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 140 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 35 mm ² Torque: 3 Nm				

SPT70 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT70	515.00	566.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 192 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 70 mm ² Torque: 6 Nm				

SPT95 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT95	545.00	599.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 232 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 95 mm ² Torque: 6 Nm				

SPT120 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT120	870.00	957.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 269 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 120 mm ² Torque: 10 Nm				

SPT150 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT150	890.00	979.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 320 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 150 mm ² Torque: 10 Nm				

SPT185 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT185	1400.00	1540.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 353 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 185 mm ² Torque: 14 Nm				


SPT240 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT240	1400.00	1540.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 415 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 240 mm ² Torque: 14 Nm				


SPT300 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT300	1800.00	1980.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 520 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 300 mm ² Torque: 25 Nm				

Distribution Blocks


FDBK-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	FDBK-1X2	230.00	253.00
	Voltage: 800 V	Partition Plate	KBXF	23.50	25.90
	Current: IC-64A, OG-32A	Shorting Link	Not Required	-	-
	Wire Size: IC-25 mm ² OG-4 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: IC-2.5 Nm OG-0.5 Nm				

FDBK-1X4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	FDBK-1X4	260.00	286.00
	Voltage: 800 V	Partition Plate	KBXF	23.50	25.90
	Current: IC-64A, OG-32A	Shorting Link	Not Required	-	-
	Wire Size: IC-25 mm ² OG-4 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: IC-2.5 Nm OG-0.5 Nm				

FDBK-1X8				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	FDBK-1X8	405.00	445.50
	Voltage: 800 V	Partition Plate	KBXF	23.50	25.90
	Current: IC-64A, OG-32A	Shorting Link	Not Required	-	-
	Wire Size: IC-25 mm ² OG-4 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: IC-2.5 Nm OG-0.5 Nm				


FDBK3, FDBK4, FDBK8				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	FDBK3	100.00	110.00
	Voltage: 800 V		FDBK4	132.00	145.20
	Current: IC-32A, OG-32A		FDBK8	264.00	290.40
	Wire Size: IC-4 mm ² OG-4 mm ²	Partition Plate	KBXF	23.50	25.90
	Torque: IC-0.5 Nm OG-0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN6.5	10.50	-


DBK-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	DBK-1X2	262.00	288.20
	Voltage: 800 V	Partition Plate	KBXF	23.50	25.90
	Current: IC-114A, OG-57A	Shorting Link	Not Required	-	-
	Wire Size: IC-35 mm ² OG-10 mm ²	Marker	LabelKN10	12.60	-
	Torque: IC-6Nm OG-1.2 Nm				


DBK-1X4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	DBK-1X4	345.00	379.50
	Voltage: 800 V	Partition Plate	KBXF	23.50	25.90
	Current: IC-114A, OG-57A	Shorting Link	Not Required	-	-
	Wire Size: IC-35 mm ² OG-10 sq mm	Marker	LabelKN10	12.60	-
	Torque: IC-6 Nm OG-1.2 Nm				

Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DBK-1X8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm ² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm	Distribution Block DBK-1X8	510.00	561.00
		Partition Plate KBXF	23.50	25.90
		Shorting Link Not Required	-	-
		Marker LabelKN10	12.60	-

DFBK12			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 50 A Wire Size: 10/4 mm ² Torque: 1.2/0.5 Nm	Distribution Block DFBK12	395.00	434.50
		Partition Plate KBXF	23.50	25.90
		Shorting Link Not Required	-	-
		Marker LabelKN 6.5/ LabelKN10	10.50/ 12.60	-


DBK3, DBK4, DBK5, DBK8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-57A, OG-57A Wire Size: IC-10 mm ² OG-10 mm ² Torque: IC-1.2 Nm OG-1.2 Nm	Distribution Block DBK3	130.00	143.00
		DBK4	174.00	191.40
		DBK5	216.70	238.40
		DBK8	348.00	382.80
		Partition Plate KBXF	23.50	25.90
		Shorting Link Not Required	-	-
		Marker LableKN10	12.60	-

DBK150/16-1X2			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm ² OG-16 mm ² Torque: IC-14 Nm OG-1.2 Nm	Distribution Block DBK150/16-1X2	966.00	1062.60
		Partition Plate KBZF	29.60	32.60
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-


DBK150/16-1X4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm ² OG-16 mm ² Torque: IC-14 Nm OG-1.2 Nm	Distribution Block DBK150/16-1X4	1095.00	1204.50
		Partition Plate KBZF	29.60	32.60
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-


DBK150/16-1X8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm ² OG-16 mm ² Torque: IC-14 Nm OG-1.2 Nm	Distribution Block DBK150/16-1X8	1350.00	1485.00
		Partition Plate KBZF	29.60	32.60
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-


DBK150/25-1X2			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm ² OG-25 mm ² Torque: IC-14 Nm OG-2.3 Nm	Distribution Block DBK150/25-1X2	1080.00	1188.00
		Partition Plate KBZF	29.60	32.60
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-

DBK150/25-1X4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm ² OG-25 mm ² Torque: IC-14 Nm OG-2.3 Nm	Distribution Block DBK150/25-1X4	1248.00	1372.80
		Partition Plate KBZF	29.60	32.60
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-

DBK150/25-1X8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm ² OG-25 mm ² Torque: IC-14 Nm OG-2.3 Nm	Distribution Block DBK150/25-1X8	1580.00	1738.00
		Partition Plate KBZF	29.60	32.60
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-


DBK150/M6C-1X2			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm ² OG-35 mm ² Torque: IC-14 Nm OG-2.5 Nm	Distribution Block DBK150/M6C-1X2	1325.00	1457.50
		Partition Plate KBXF	23.50	25.90
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-

DBK150/M6C-1X4			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm ² OG-35 mm ² Torque: IC-14 Nm OG-2.5 Nm	Distribution Block DBK150/M6C-1X4	1500.00	1650.00
		Partition Plate KBXF	23.50	25.90
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-

DBK150/M6C-1X8			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm ² OG-35 mm ² Torque: IC-14 Nm OG-2.5 Nm	Distribution Block DBK150/M6C-1X8	1860.00	2046.00
		Partition Plate KBXF	23.50	25.90
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-

Compact Distribution Blocks


DBD16			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm ² OG-6 mm ² , 16 mm ² OG-0.8 Nm, 1.2 Nm	Distribution Block DBD16	445.00	489.50
		Partition Plate KBXF	23.50	25.90
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-


DBD35			Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm ² OG-10 mm ² , 16 mm ² Torque: IC-4.5 Nm OG-1.2 Nm	Distribution Block DBD35	645.00	709.50
		Partition Plate KBXF	23.50	25.90
		Shorting Link Not Required	-	-
		Marker LabelKN12	12.60(5 labels)	-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Compact Distribution Blocks


DTB35-10		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm² OG- 6 mm², 16mm² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm</p>	Distribution Block	DTB35-10	265.00 On Request
	End Plate	Not Required	- -
	Shorting Link	SLC17.5	71.40 -
	Marker	LabelKN12	12.60 (5 labels) -


DTB35-10X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm² OG- 10 mm², 16 mm² Torque: IC-4.5 Nm OG- 1.2 Nm</p>	Distribution Block	DTB35 10x4	276.00 On Request
	End Plate	Not Required	- -
	Shorting Link	SSL35	108.90 -
	Marker	LabelKN12	12.60 (5 labels) -


Component Housing


KPCH 4* / KPCH 6*		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 20A/32A Wire Size: 4/6 mm² Torque: 0.6/0.8 Nm</p>	Terminal	KPCH4	On Request On Request
		KPCH6	On Request On Request
	End Plate	KPSD4	13.70 15.10
	Partition Plate	KBZF	29.60 32.60
	Marker	LabelKN5.5/8	10.00/11.60 -


KUDD4CC1 (Common Cathode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CC1	95.00 104.50
	End Plate	KPDD	14.30 15.80
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4CC2 (Common Cathode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CC2	95.00 104.50
	End Plate	KPDD	14.30 15.80
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4CA1 (Common Anode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CA1	95.00 104.50
	End Plate	KPDD	14.30 15.80
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4CA2 (Common Anode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CA2	95.00 104.50
	End Plate	KPDD	14.30 15.80
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4D1 (One Diode)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4D1	95.00 104.50
	End Plate	KPDD	14.30 15.80
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4R (One Resistor)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4R	95.00 104.50
	End Plate	KPDD	14.30 15.80
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4MOV (with MOV)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4MOV	On Request On Request
	End Plate	KPDD	14.30 15.80
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

Micro Terminals (15mm Rail Mounted)


SUT4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	SUT4	14.40 15.90
	End Plate	ES4	8.20 9.10
	Shorting Link	CCLADD	18.90 -
	Marker	LabelKN5.5	10.00 -

SET4 (Earthing)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	SET4	72.00 -
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN5.5	10.00 -

Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Micro Terminals (Panel Mounted)


PET4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PET4	18.00	19.80
	Voltage: 500 V	End Plate	EPP	9.90	10.90
	Current: 32 A	Shorting Link	CCLADD	18.90	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				


PBTM3				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM3	13.00	-
	Voltage: 250 V	End Plate	EPBM4	8.90	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 0.5 Nm				


PBTM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM4	15.50	-
	Voltage: 250 V	End Plate	EPBM4	8.90	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 1.2 Nm				


Spring Clamp Terminals - Feed Through (35mm Rail Mounted)


DST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5	14.80	16.30
	Voltage: 800 V	End Plate	DSEP2.5	7.90	8.70
	Current: 24 A	Shorting Link	SSL2.5	13.40	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-


DST4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4	25.70	28.30
	Voltage: 800 V	End Plate	DSEP4	9.40	10.40
	Current: 32 A	Shorting Link	SSL4	22.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-


DST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6	53.50	58.90
	Voltage: 800 V	End Plate	DSEP6	11.20	12.40
	Current: 41 A	Shorting Link	SSL6	31.50	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-


DST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10	102.00	112.20
	Voltage: 800 V	End Plate	DSEP10	11.90	13.10
	Current: 57 A	Shorting Link	SSL10	50.90	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-


DST16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST16	142.00	156.20
	Voltage: 800 V	End Plate	DSEP16	18.70	20.60
	Current: 76 A	Shorting Link	SSL16	81.10	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.60(5 labels)	-


DST35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST35	470.00	517.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SSL35	108.90	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.70(5 labels)	-


DST2.5-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-1X2	35.50	39.10
	Voltage: 800 V	End Plate	DSMP2.5-1X2	9.40	10.40
	Current: 24 A	Shorting Link	SSL2.5	13.40	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-

DST2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-2X2	37.50	41.30
	Voltage: 1000 V	End Plate	DSMP2.5-2X2	9.90	10.90
	Current: 24 A	Shorting Link	SSL2.5	13.40	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-

DST4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4-1X2	49.00	On Request
	Voltage: 800 V	End Plate	DSMP4-1X2	11.60	12.80
	Current: 32 A	Shorting Link	SSL4	22.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-

DST4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4-2X2	57.00	On Request
	Voltage: 800 V	End Plate	DSMP4-2X2	14.30	15.80
	Current: 32 A	Shorting Link	SSL4	22.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-

DST6-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6-1X2	115.00	On Request
	Voltage: 800 V	End Plate	DSMP6-1X2	14.30	15.80
	Current: 41 A	Shorting Link	SSL6	31.50	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-


DST10-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10-1X2	176.00	On Request
	Voltage: 1000 V	End Plate	DSMP10-1X2	14.70	16.20
	Current: 57 A	Shorting Link	SSL10	50.90	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Spring Clamp Terminals - Feed Through (35mm Rail Mounted)


DST16-1X2		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST16-1X2	205.00 On Request
	Voltage: 1000 V	End Plate DSMP16-1X2	16.10 17.80
	Current: 76 A	Shorting Link SSL16	81.10 -
	Wire Size: 16 mm ²	Marker LabelKN12	12.60 (5 labels) -
	CE		

DST2.5-2C1P		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST2.5-2C1P	47.00 51.70
	Voltage: 500 V	End Plate DSMP2.5-2C1P	15.60 17.20
	Current: 16A	Shorting Link SSL2.5	13.40 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	CE		


DST2.5-2C2P		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST2.5-2C2P	55.00 60.50
	Voltage: 500 V	End Plate DSMP2.5-2C2P	18.70 20.60
	Current: 16 A	Shorting Link SSL2.5	13.40 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	CE		

DST2.5-2C1PP		Std. Colour	Non Std. Colour
	DST2.5C1PP - 1 Way	41.90	-
	Compatible with terminal blocks DST 2.5 - 2C1P & DST 2.5 - 2C2P		


SCT2.5 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT2.5	15.00 16.50
	Voltage: 800 V	End Plate SEP2.5	6.50 7.20
	Current: 24 A	Shorting Link SSL2.5	13.40 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	CE		


SCT4 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT4	24.00 26.40
	Voltage: 800 V	End Plate SEP4	7.40 8.20
	Current: 32 A	Shorting Link SSL4	22.50 -
	Wire Size: 4 mm ²	Marker LabelKN5.5	10.00 -
	CE		


SCT6 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT6	63.50 69.90
	Voltage: 800 V	End Plate SEP6	9.90 10.90
	Current: 41 A	Shorting Link SSL6	31.50 -
	Wire Size: 6 mm ²	Marker LabelKN8	11.60 -
	CE		

SCT10 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT10	76.00 83.60
	Voltage: 800 V	End Plate SEP10	11.30 12.50
	Current: 57 A	Shorting Link SSL10	50.90 -
	Wire Size: 10 mm ²	Marker LabelKN10	12.60 -
	CE		

Spring Clamp Terminals - Multi Level

DSDD2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DSDD2.5	42.00 On Request
	Voltage: 800 V	End Plate DPDD2.5	13.70 On Request
	Current: 24 A	Shorting Link SSL4	22.50 -
	Wire Size: 2.5 mm ²	Marker LabelKN5.5	10.00 -
	CE		

DS3L2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DS3L2.5	133.00 On Request
	Voltage: 500 V	End Plate DSEP3	37.00 On Request
	Current: 20 A	Shorting Link SSL4	22.50 -
	Wire Size: 2.5 mm ²	Marker LabelKN5.5	10.00 -
	CE		

DS8LP16 / P32		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DS8LP16	On Request On Request
	Voltage: 250 V	DS8LP32	On Request On Request
	Current: 10 A	End Plate DSEP8	On Request On Request
	Wire Size: 1.5 mm ²	Marker LabelKN7.5	18.90 -
	CE		

Spring Clamp Terminals - Fuse

DCF4		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DCF4	97.50 On Request
	Voltage: 800 V	End Plate DFEP	15.60 On Request
	Current: 10 A	Shorting Link SSL4	22.50 -
	Wire Size: 4 mm ²	Marker LabelKN8	11.60 -
	CE		

DCF4D* / 4A** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DCF4D	130.00 On Request
	Voltage: 800 V	DCF4A	130.00 On Request
	Current: 10 A	End Plate DFEP	15.60 On Request
	Wire Size: 4 mm ²	Shorting Link SSL4	22.50 -
	CE	Marker LabelKN8	11.60 -


SCF6		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCF6	277.00 On Request
	Voltage: 800 V	End Plate SFEP6	13.00 On Request
	Current: 10 A	Shorting Link SSL6	31.50 -
	Wire Size: 6 mm ²	Marker LabelKN12	12.60 (5 labels) -
	CE		

*D1 - 24 VDC, D2 - 48 VDC, D3 - 110 VDC, D4 - 220 VDC, D5 - 12 VDC / **A1 - 110 VAC, A2 - 220 VAC
All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Spring Clamp Terminals - Test Disconnect

DSDT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 17.5 A Wire Size: 2.5 mm ²	Terminal	DSDT2.5	63.00	On Request
		End Plate	DPDT2.5	10.40	On Request
		Shorting Link	SSL2.5	13.40	-
		Marker	LabelKN5	11.60	-


DSDT2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 17.5 A Wire Size: 2.5 mm ²	Terminal	DSDT2.5-2X2	74.00	On Request
		End Plate	DPMDT2.5	13.30	On Request
		Shorting Link	-	-	-
		Marker	LabelKN5	11.60	-

Spring Clamp Distribution Blocks

DTB35-10				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 1C-35 mm ² OG - 10 mm ²	Terminal	DTB35-10	265.00	On Request
		End Plate	Not Required	-	-
		Shorting Link	SLC17.5	71.40	-
		Marker	LabelKN17	13.70 (5 labels)	-

DTB35-10X4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 125 A Wire Size: 1C-35 mm ² OG - 10 mm ²	Terminal	DTB35-10X4	276.00	On Request
		End Plate	Not Required	-	-
		Shorting Link	SSL35	108.90	-
		Marker	LabelKN12	12.60 (5 labels)	-

Spring Clamp Terminals - Earthing Type

DSET2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET2.5	108.00	-
		End Plate	DSEP2.5(Gr)	8.70	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.60	-

DSET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 4 mm ²	Terminal	DSET4	109.00	-
		End Plate	DSEP4(Gr)	10.40	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	10.00	-

DSET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 6 mm ²	Terminal	DSET6	216.00	-
		End Plate	DSEP6(Gr)	12.40	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.60	-

DSET10				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 10 mm ²	Terminal	DSET10	270.00	-
		End Plate	DSEP10(Gr)	13.10	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.60	-

SCET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 4 mm ²	Terminal	SCET4	105.00	-
		End Plate	SEP4(Gr)	8.20	-
		Marker	LabelKN5.5	10.00	-

DSET2.5-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET2.5-1X2	155.00	-
		End Plate	DSMP2.5-1X2(Gr)	10.40	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.60	-

DSET2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET2.5-2X2	156.00	-
		End Plate	DSMP2.5-2X2(Gr)	10.90	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.60	-

Spring Clamp Micro Terminals (15mm Rail Mounted)


MCT2.5MC				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5MC	On Request	On Request
		End Plate	MEP2.5MC	7.90	On Request
		Shorting Link	MSL2.5	20.10	-
		Marker	LabelKN5.5	10.00	-

SCT2.5MC				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	SCT2.5MC	On Request	On Request
		End Plate	SEP2.5	6.50	7.20
		Shorting Link	SSL2.5	13.40	-
		Marker	LabelKN5	11.60	-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Spring Clamp Micro Terminals - Panel Mounted

MCT1.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 17.5 A Wire Size: 1.5 mm ²	Terminal	MCT1.5	9.70	On Request
		End Plate	MEP1.5	4.80	On Request
		Shorting Link	MSL1.5	19.40	-
		Marker	LabelKN10	12.60	-


MCT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5	11.50	12.70
		End Plate	MEP2.5	5.20	5.80
		Shorting Link	MSL2.5	20.10	-
		Marker	LabelKN5.5	10.00	-

MCT2.5P4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5P4	21.50	On Request
		End Plate	MEP2.5	5.20	5.80
		Shorting Link	MSL2.5	20.10	-
		Marker	LabelKN10	12.60	-


MCT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT4	18.00	19.80
		End Plate	MEP4	9.10	10.10
		Shorting Link	MSL4	25.50	-
		Marker	LabelKN6.5	10.50	-

MCT4P4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT4P4	33.10	On Request
		End Plate	MEP4	9.10	10.10
		Shorting Link	MSL4	25.50	-
		Marker	LabelKN12	12.60(5 labels)	-

Spring Clamp Terminal (Din Rail Mounted)


DMCT2.5P4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	DMCT2.5P4	On Request	On Request
		End Plate	DMEP2.5P4	12.40	-
		Shorting Link	MSL2.5	20.10	-
		Marker	LabelKN10	12.60	-


Plug & Socket Terminals

DPSC5.08 (Wire to Wire)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm ²	Terminal	DPSC5.08WW(2Way)	127.00	-
			DPSC5.08WW(3Way)	190.50	-
			DPSC5.08WW(4Way)	254.00	-
			DPSC5.08WW(5Way)	317.50	-
			DPSC5.08WW(6Way)	381.00	-
			DPSC5.08WW(8Way)	508.00	-

DPSC5.08 (Panel Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm ²	Terminal	DPSC5.08PM(2Way)	144.00	-
			DPSC5.08PM(3Way)	216.00	-
			DPSC5.08PM(4Way)	288.00	-
			DPSC5.08PM(5Way)	360.00	-
			DPSC5.08PM(6Way)	432.00	-
			DPSC5.08PM(8Way)	576.00	-

Lighting Pole Terminals

LPT225				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm ²	Terminal	LPT225	On Request	On Request
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.60	-

LPT235				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm ²	Terminal	LPT235	On Request	On Request
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN12	12.60(5 labels)	-

LPT325				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm ²	Terminal	LPT325	On Request	On Request
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.60	-

LPT335				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm ²	Terminal	LPT335	On Request	On Request
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN12	12.60(5 labels)	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6

Neutral Links

KNL4		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	KNL4 19.50
	Bus-Bar (6 mm x 6 mm)	KNLB6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB10 On Request
	End Support (Panel Mounted)	KNLSUP 18.90
	End Support (Rail Mounted)	SCNL 32.00
	Marker	LabelKN6.5 10.50

KNL35		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 3 Nm</p>	Terminal	KNL35 45.00
	Bus-Bar (6 mm x 6 mm)	KNLB6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB10 On Request
	End Support (Panel Mounted)	KNLSUP 18.90
	End Support (Rail Mounted)	SCNL 32.00
	Marker	LabelKN10 12.60

KNL16		Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KNL16 25.20
	Bus-Bar (6 mm x 6 mm)	KNLB6 On Request
	Bus-Bar (10 mm x 3 mm)	KNLB10 On Request
	End Support (Panel Mounted)	KNLSUP 18.90
	End Support (Rail Mounted)	SCNL 32.00
	Marker	LabelKN8 11.60

Price List for DIN Rail Mounted Terminals : Melamine



Feed Through Terminals

CST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CST2.5	21.50	23.70
		End Plate	EPX	9.40	10.40
		Shorting Link	CCLA2.5	21.80	-
		Marker	LabelKN6.5	10.50	-

CST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 25 mm ² Torque: 1.2 Nm	Terminal	CST10	35.00	38.50
		End Plate	EPX	9.40	10.40
		Shorting Link	CCLA10	23.70	-
		Marker	LabelKN10	12.60	-


CST25				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 1.2 Nm	Terminal	CST25	80.00	88.00
		End Plate	EPT	18.70	20.60
		Shorting Link	CCLA25	31.00	-
		Marker	LabelKN12	12.60(5 labels)	-

CST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	CST6	26.00	28.60
		End Plate	EPX	9.40	10.40
		Shorting Link	CCLA6	21.80	-
		Marker	LabelKN8	11.60	-

CST16				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 1.2 Nm	Terminal	CST16	56.50	62.20
		End Plate	EPY	18.00	19.80
		Shorting Link	CCLA16	27.90	-
		Marker	LabelKN10	12.60	-

CST35				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 4 Nm	Terminal	CST35	157.00	172.70
		End Plate	EPZ	19.90	21.90
		Shorting Link	CCLA35	37.00	-
		Marker	LabelKN17	13.70 (5 labels)	-

Spring Loaded Terminals

CSLT1				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CSLT1	76.00	83.60
		End Plate	EPSL	16.10	17.80
		Shorting Link	CCLA1L	32.70	-
		Marker	LabelKN10	12.60	-

Stud Type Terminals (Screw Driver Operated)

CATM3*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CATM3	60.00	66.00
		End Plate	EPS4	12.40	13.70
		Shorting Link	ASL1	35.10	-
		Marker	LabelKN6.5	10.50	-

CATM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CATM5	85.00	93.50
		End Plate	EPS4	12.40	13.70
		Shorting Link	ADSL	32.70	-
		Marker	LabelKN8	11.60	-


CATM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CATM4	65.00	71.50
		End Plate	EPS4	12.40	13.70
		Shorting Link	ADSL	32.70	-
		Marker	LabelKN8	11.60	-

* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Melamine




Stud Type Terminals (Nut Driver Operated)


CBTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CBTM4	65.00	71.50
		End Plate	EPS4	12.40	13.70
		Shorting Link	KSL5	33.90	-
		Marker	LabelKN6.5	10.50	-

CBTM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CBTM5	85.00	93.50
		End Plate	EPS4	12.40	13.70
		Shorting Link	KSL5	33.90	-
		Marker	LabelKN6.5	10.50	-

CBTM6*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBTM6	130.00	143.00
		End Plate	EPS4	12.40	13.70
		Shorting Link	BSL6	36.30	-
		Marker	LabelKN8	11.60	-


CBTM6S1*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBTM6S1	160.00	176.00
		End Plate	EPS5/6	18.00	19.80
		Shorting Link	Not Available	-	-
		Marker	LabelKN8	11.60	-


Stud Type Terminals (Screw & Nut Driver Operated)

CABTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CABTM4	75.00	82.50
		End Plate	EPS4	12.40	13.70
		Shorting Link	ADSL	32.70	-
		Marker	LabelKN8	11.60	-


PSC1/5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 600 V Current: 25 A Per Contact Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	PSC1/5	650.00	-
		End Plate	Not Required	-	-
		Shorting Link	Not Available	-	-
		Marker	Not Required	-	-

Test - Disconnect Terminals

CATDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 41 A Wire Size: 6 mm ² Torque: 1.2 Nm	Terminal	CATDM4	125.00	137.50
		End Plate	EPD4	19.90	21.90
		Shorting Link	ADSL	32.70	-
		Marker	LabelKN5.5	10.00	-

CLTDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 45 A Wire Size: 6 mm ² Torque: 1.2 Nm	Terminal	CLTDM4	115.00	126.50
		End Plate	EPLD4	19.90	21.90
		Shorting Link	ADSL	32.70	-
		Marker	LabelKN5.5	10.00	-


Power Terminals

CBT100				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBT100	150.00	165.00
		End Plate	EPS5/6	18.00	19.80
		Shorting Link	Not Available	-	-
		Marker	LabelKN8	11.60	-

CBT110				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 30-35 mm ² Torque: 3 Nm	Terminal	CBT110	275.00	302.50
		Barrier Plate	BPA110	47.00	51.70
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.60	-

CBT170				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm	Terminal	CBT170	450.00	495.00
		Barrier Plate	BPA17/25	51.80	57.00
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.60	-

CBT250				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm	Terminal	CBT250	525.00	577.50
		Barrier Plate	BPA17/25	51.80	57.00
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.60	-


CBT300				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 300A Wire Size: 70-120 mm ² Torque: 10 Nm	Terminal	CBT300	575.00	632.50
		Barrier Plate	BPA17/25	51.80	57.00
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.60	-

* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Melamine

Power Terminals (With Tapped Current Bar)

CBT110T				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 35-50 mm ² Torque: 3 Nm	Terminal	CBT110T	280.00	308.00
		Barrier Plate	BPA110	47.00	51.70
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.60	-

CBT250T				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm	Terminal	CBT250T	550.00	605.00
		Barrier Plate	BPA17/25	51.80	57.00
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.60	-

CBT170T				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm	Terminal	CBT170T	470.00	517.00
		Barrier Plate	BPA17/25	51.80	57.00
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.60	-

CBT300T				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm ² Torque: 10 Nm	Terminal	CBT300T	700.00	770.00
		Barrier Plate	BPA17/25	51.80	57.00
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.60	-

Price List for Terminals: Polyamide 6.6

PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
Suitable For Feed Through Terminals				
KUT2.5	Elmex Electric	100	12.60	13.90
KUT4	Elmex Electric	100	15.30	16.90
KUT6	Elmex Electric	100	22.00	24.20
KUT10	Elmex Electric	100	29.00	31.90
KUT16	Elmex Electric	100	54.50	60.00
KUT25	Elmex Electric	100	90.00	99.00
KUT35	Elmex Electric	50	128.00	140.80
KUT50	Elmex Electric	10	352.00	387.20
KUT50/70A	Elmex Electric	10	360.00	396.00
KUT95	Elmex Electric	10	595.00	654.50
KUT4-1X2	Elmex Electric	100	36.00	39.60
KUT4-2X2	Elmex Electric	100	50.00	55.00
Suitable For Earth Terminals				
ET4	Elmex Electric	100	106.60	-
ET6	Elmex Electric	50	123.80	-
ET10	Elmex Electric	50	175.00	-
ET16	Elmex Electric	50	190.00	-
ET35	Elmex Electric	20	415.00	-
ET50	Elmex Electric	20	1000.00	-
Suitable For Double Deck Terminals				
KU2D4	Elmex Electric	100	41.50	45.70
KU2D4S	Elmex Electric	100	55.00	60.50
KUDD4	Elmex Electric	100	45.50	50.10
Suitable For Spring Loaded Terminals				
KULT4	Elmex Electric	100	46.00	50.60
KULT6	Elmex Electric	100	50.00	55.00
KULT1	Elmex Electric	100	65.00	71.50
Suitable For Thermocouple Terminals				
KUT4NTCK	Elmex Electric	50	130.00	143.00
KUT4NTCJ	Elmex Electric	50	165.50	182.10
KUT4NTCT	Elmex Electric	50	165.50	182.10
KUT4NTCE	Elmex Electric	50	165.50	182.10
Suitable For Triple Deck Terminals				
DU3D4	Elmex Electric	100	113.00	124.30
DUSD4	Elmex Electric	100	66.00	72.60
Suitable For Photovoltaic Terminals				
KUT2.5N	Elmex Electric	100	14.50	16.00
KUT4N	Elmex Electric	100	18.00	19.80
KUT6N	Elmex Electric	100	23.50	25.90
KUT10N	Elmex Electric	100	32.00	35.20
KUDD4N	Elmex Electric	100	55.00	60.50
Suitable For Earth Terminals (N - Series)				
ETN4	Elmex Electric	100	113.10	-
ETN6	Elmex Electric	100	127.00	-
ETN10	Elmex Electric	100	161.00	-
ETDD4N	Elmex Electric	100	193.00	-
Suitable For Stud Type Terminals				
KATM3	Elmex Electric	100	49.00	53.90
KATM3C	Elmex Electric	50	60.00	66.00
KATM4	Elmex Electric	50	66.00	72.60
KATM4C	Elmex Electric	50	71.00	78.10
KATM5	Elmex Electric	50	72.50	79.80
KATM5C	Elmex Electric	50	80.00	88.00
KABTM3	Elmex Electric	50	50.00	55.00
KABTM4	Elmex Electric	50	65.50	72.10
KABTM5	Elmex Electric	50	72.00	79.20
KABTM4C	Elmex Electric	50	71.00	78.10
KABTM5C	Elmex Electric	50	81.50	89.70
KATM3E	Elmex Electric	50	37.50	41.30
KATM4E	Elmex Electric	50	41.50	45.70
KBTM4	Elmex Electric	50	65.50	72.10
KBTM4C	Elmex Electric	50	71.50	78.70
KBTM5-15	Elmex Electric	50	72.00	79.20
KBTM5-15C	Elmex Electric	50	81.50	89.70
KBTM6	Elmex Electric	50	103.00	113.30
KBTM6C	Elmex Electric	50	121.50	133.70
KBTM4E	Elmex Electric	50	43.00	47.30
KBTM5E	Elmex Electric	50	50.00	55.00
KBTM6E	Elmex Electric	50	90.00	99.00
OAT2.5	Elmex Electric	50	58.50	64.40
OAT6	Elmex Electric	50	72.00	79.20

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
OAT25	Elmex Electric	50	176.00	193.60
Suitable For Fuse Terminals				
KUDF4NV	Elmex Electric	100	51.50	56.70
KUDF4AD	Elmex Electric	100	80.00	88.00
KUFH4	Elmex Electric	100	115.00	126.50
KUFH4D	Elmex Electric	100	155.00	170.50
KUFH4A	Elmex Electric	100	155.00	170.50
KUF10	Elmex Electric	100	150.00	165.00
KUF10D	Elmex Electric	100	175.00	192.50
KUF10A	Elmex Electric	100	180.00	198.00
Suitable For Fuse Feed Through Terminals				
KUDDF4	Elmex Electric	100	132.00	145.20
KUDDF4AD	Elmex Electric	100	150.00	165.00
Suitable For Plug and Socket				
PS8M - 2 Way	Elmex Electric	20	On Request	On Request
PS8M - 3 Way	Elmex Electric	20	On Request	On Request
PS8M - 4 Way	Elmex Electric	20	On Request	On Request
PS8M - 5 Way	Elmex Electric	20	On Request	On Request
PS8M - 6 Way	Elmex Electric	20	On Request	On Request
PS8M - 7Way	Elmex Electric	20	On Request	On Request
PS8M - 8 Way	Elmex Electric	20	On Request	On Request
PS8M - 10 Way	Elmex Electric	20	On Request	On Request
Suitable For Disconnecting Terminals (Sliding Link Type)				
KLTD4NV	Elmex Electric	50	94.00	103.40
KLTD4-2W	Elmex Electric	25	On Request	On Request
KUTSD6	Elmex Electric	50	91.00	100.10
KUTD10	Elmex Electric	50	133.00	146.30
KULTD6	Elmex Electric	50	175.00	192.50
OAT6T	Elmex Electric	50	120.00	132.00
OAT6DTS	Elmex Electric	40	124.00	136.40
OAT6DTS - 2Way	Elmex Electric	20	250.00	275.00
OAT10DTS	Elmex Electric	50	155.00	170.50
Suitable For Disconnecting Terminals (Knife Edge Type)				
KULTD4	Elmex Electric	100	56.00	61.60
KULTD4WS	Elmex Electric	100	On Request	On Request
KULTD4TS	Elmex Electric	100	63.00	69.30
KUDT4-2X2	Elmex Electric	100	105.00	115.50
KUDT6	Elmex Electric	100	108.00	118.80
Suitable For Power Terminals				
PAT30	Elmex Electric	100	42.00	46.20
PAT100	Elmex Electric	25	165.00	181.50
PAT150	Elmex Electric	10	260.00	286.00
PAT250	Elmex Electric	10	395.00	434.50
KBT100	Elmex Electric	25	100.00	110.00
DPBB50	Elmex Electric	10	220.00	242.00
DPBB50CN	Elmex Electric	10	225.00	247.50
DPBB70	Elmex Electric	10	300.00	330.00
DPBB70CN	Elmex Electric	10	310.00	341.00
DPBB120	Elmex Electric	10	435.00	478.50
DPBB120CN	Elmex Electric	10	450.00	495.00
DPBB185N	Elmex Electric	10	1100.00	1210.00
DPBB240	Elmex Electric	10	1180.00	1298.00
SPT35	Elmex Electric	10	340.00	374.00
SPT70	Elmex Electric	10	515.00	566.50
SPT95	Elmex Electric	10	545.00	599.50
SPT120	Elmex Electric	10	870.00	957.00
SPT150	Elmex Electric	10	890.00	979.00
SPT185	Elmex Electric	10	1400.00	1540.00
SPT240	Elmex Electric	10	1400.00	1540.00
SPT300	Elmex Electric	10	1800.00	1980.00
Suitable For Distribution Blocks				
FDBK-1X2	Elmex Electric	10	230.00	253.00
FDBK-1X4	Elmex Electric	10	260.00	286.00
FDBK-1X8	Elmex Electric	10	405.00	445.50
FDBK3	Elmex Electric	10	100.00	110.00
FDBK4	Elmex Electric	10	132.00	145.20
FDBK8	Elmex Electric	10	264.00	290.40
DBK-1X2	Elmex Electric	10	262.00	288.20
DBK-1X4	Elmex Electric	10	345.00	379.50

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DBK-1X8	Elmex Electric	10	510.00	561.00
DFBK12	Elmex Electric	10	395.00	434.50
DBK3	Elmex Electric	10	130.00	143.00
DBK4	Elmex Electric	10	174.00	191.40
DBK5	Elmex Electric	10	216.70	238.40
DBK8	Elmex Electric	10	348.00	382.80
DBK150/16-1X2	Elmex Electric	10	966.00	1062.60
DBK150/16-1X4	Elmex Electric	10	1095.00	1204.50
DBK150/16-1X8	Elmex Electric	10	1350.00	1485.00
DBK150/25-1X2	Elmex Electric	10	1080.00	1188.00
DBK150/25-1X4	Elmex Electric	10	1248.00	1372.80
DBK150/25-1X8	Elmex Electric	10	1580.00	1738.00
DBK150/M6C-1X2	Elmex Electric	10	1325.00	1457.50
DBK150/M6C-1X4	Elmex Electric	10	1500.00	1650.00
DBK150/M6C-1X8	Elmex Electric	10	1860.00	2046.00
DBD16	Elmex Electric	10	445.00	489.50
DBD35	Elmex Electric	10	645.00	709.50
Suitable For Component Housings				
KPCH4*	Elmex Electric	100	On Request	On Request
KPCH6*	Elmex Electric	100	On Request	On Request
KUDD4CC1	Elmex Electric	100	95.00	104.50
KUDD4CC2	Elmex Electric	100	95.00	104.50
KUDD4CA1	Elmex Electric	100	95.00	104.50
KUDD4CA2	Elmex Electric	100	95.00	104.50
KUDD4D1	Elmex Electric	100	95.00	104.50
KUDD4R	Elmex Electric	100	95.00	104.50
KUDD4MOV	Elmex Electric	100	On Request	On Request
Suitable For Micro Terminals				
SUT4	Elmex Electric	100	14.40	15.90
SET4	Elmex Electric	100	72.00	-
PET4	Elmex Electric	100	18.00	19.80
PBTM3	Elmex Electric	100	13.00	-
PBTM4	Elmex Electric	100	15.50	-
Suitable For Spring Clamp Terminals				
DST2.5	Elmex Electric	100	14.80	16.30
DST4	Elmex Electric	100	25.70	28.30
DST6	Elmex Electric	50	53.50	58.90
DST10	Elmex Electric	20	102.00	112.20
DST16	Elmex Electric	100	142.00	156.20
DST35	Elmex Electric	100	470.00	517.00
DST2.5-1X2	Elmex Electric	100	35.50	39.10
DST2.5-2X2	Elmex Electric	100	37.50	41.30
DST4-1X2	Elmex Electric	100	49.00	On Request
DST4-2X2	Elmex Electric	100	57.00	On Request
DST6-1X2	Elmex Electric	100	115.00	On Request
DST10-1X2	Elmex Electric	100	176.00	On Request
DST16-1X2	Elmex Electric	100	205.00	On Request
DST2.5-2C1P	Elmex Electric	100	47.00	51.70
DST2.5-2C2P	Elmex Electric	100	55.00	60.50
DST2.5C1PP - 1 Way	Elmex Electric	50	41.90	-
SCT2.5	Elmex Electric	20	15.00	16.50
SCT4	Elmex Electric	100	24.00	26.40
SCT6	Elmex Electric	100	63.50	69.90
SCT10	Elmex Electric	100	76.00	83.60
DSDD2.5	Elmex Electric	100	42.00	On Request
DS3L2.5	Elmex Electric	100	133.00	On Request
DS8LP16	Elmex Electric	100	On Request	On Request
DS8LP32	Elmex Electric	100	On Request	On Request
DCF4	Elmex Electric	100	97.50	On Request
DCF4D	Elmex Electric	50	130.00	On Request
DCF4A	Elmex Electric	50	130.00	On Request
SCF6	Elmex Electric	50	277.00	On Request
DSDT2.5	Elmex Electric	100	63.00	On Request
DSDT2.5-2X2	Elmex Electric	100	74.00	On Request
DTB35-10	Elmex Electric	100	265.00	On Request
DTB35-10X4	Elmex Electric	100	276.00	On Request
DSET2.5	Elmex Electric	10	108.00	-
DSET4	Elmex Electric	10	109.00	-
DSET6	Elmex Electric	100	216.00	-
DSET10	Elmex Electric	100	270.00	-
SCET4	Elmex Electric	100	105.00	-

Price List for Terminals: Polyamide 6.6, Melamine, Neutral Links, PCB Connectors



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6, MELAMINE, NEUTRAL LINKS, PCB CONNECTORS

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DSET2.5-1X2	Elmex Electric	100	155.00	-
DSET2.5-2X2	Elmex Electric	100	156.00	-
MCT2.5MC	Elmex Electric	100	On Request	On Request
SCT2.5MC	Elmex Electric	100	On Request	On Request
MCT1.5	Elmex Electric	100	9.70	On Request
MCT2.5	Elmex Electric	100	11.50	12.70
MCT2.5P4	Elmex Electric	100	21.50	On Request
MCT4	Elmex Electric	100	18.00	19.80
MCT4P4	Elmex Electric	100	33.10	On Request
DMCT2.5P4	Elmex Electric	100	On Request	On Request
DPSC5.08WW (2 Way)	Elmex Electric	100	127.00	-
DPSC5.08WW (3 Way)	Elmex Electric	100	190.50	-
DPSC5.08WW (4 Way)	Elmex Electric	20	254.00	-
DPSC5.08WW (5 Way)	Elmex Electric	20	317.50	-
DPSC5.08WW (6 Way)	Elmex Electric	20	381.00	-
DPSC5.08WW (8 Way)	Elmex Electric	20	508.00	-
DPSC5.08PM (2 Way)	Elmex Electric	20	144.00	-
DPSC5.08PM (3 Way)	Elmex Electric	20	216.00	-
DPSC5.08PM (4 Way)	Elmex Electric	20	288.00	-
DPSC5.08PM (5 Way)	Elmex Electric	20	360.00	-
DPSC5.08PM (6 Way)	Elmex Electric	20	432.00	-
DPSC5.08PM (8 Way)	Elmex Electric	20	576.00	-
Suitable For Lighting Pole Terminals				
LPT225	Elmex Electric	20	On Request	On Request
LPT235	Elmex Electric	20	On Request	On Request
LPT325	Elmex Electric	20	On Request	On Request
LPT335	Elmex Electric	20	On Request	On Request
Suitable For Neutral Links				
KNL4	Elmex Electric	50	19.50	-
KNL16	Elmex Electric	50	25.20	-
KNL35	Elmex Electric	50	45.00	-
Suitable For Feed Through Terminals (Melamine)				
CST2.5	Elmex Electric	100	21.50	23.70
CST6	Elmex Electric	100	26.00	28.60
CST10	Elmex Electric	100	35.00	38.50
CST16	Elmex Electric	100	56.50	62.20
CST25	Elmex Electric	100	80.00	88.00
CST35	Elmex Electric	50	157.00	172.70
Suitable For Spring Loaded Terminals				
CSLT1	Elmex Electric	100	76.00	83.60
Suitable For Stud Type Terminals				
CATM3	Elmex Electric	50	60.00	66.00
CATM4	Elmex Electric	50	65.00	71.50
CATM5	Elmex Electric	50	85.00	93.50
CBTM4	Elmex Electric	50	65.00	71.50
CBTM5	Elmex Electric	50	85.00	93.50
CBTM6	Elmex Electric	50	130.00	143.00
CBTM6S1	Elmex Electric	50	160.00	176.00
CABTM4	Elmex Electric	50	75.00	82.50
Suitable For Plug and Socket				
PSC1/5	Elmex Electric	20	650.00	-
Suitable For Test - Disconnect Terminals				
CATDM4	Elmex Electric	50	125.00	137.50
CLTDM4	Elmex Electric	50	115.00	126.50
Suitable Power Terminals				
CBT100	Elmex Electric	10	150.00	165.00
CBT110	Elmex Electric	10	275.00	302.50
CBT170	Elmex Electric	10	450.00	495.00
CBT250	Elmex Electric	10	525.00	577.50
CBT300	Elmex Electric	10	575.00	632.50
CBT110T	Elmex Electric	10	280.00	308.00
CBT170T	Elmex Electric	10	470.00	517.00
CBT250T	Elmex Electric	10	550.00	605.00
CBT300T	Elmex Electric	10	700.00	770.00

Price List for Accessories



MOUNTING CHANNELS

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each) For Hexavalent Plating	Rate in Rs. (Per Each) For Trivalent Plating
Mounting Rails with Zinc Plating					
32mm Rails for Melamine Terminals, K-Series Terminals and C-Series Terminals					
300mm Length	Elmex Electric	CHS3	-	69.00	79.00
500mm Length	Elmex Electric	CHS5	-	116.00	129.00
1000mm Length (1 Meter)	Elmex Electric	CHS10	-	210.00	234.00
1000mm Length (1 Meter)	Elmex Electric	CHSS10	-	242.00	247.00
2000mm Length (2 Meter)	Elmex Electric	CHS20	-	441.00	488.00
35mm Rails (7.5mm Depth) for K-Series Terminals					
300mm Length	Elmex Electric	CHK3	-	42.00	47.00
500mm Length	Elmex Electric	CHK5	-	63.00	75.00
1000mm Length (1 Meter)	Elmex Electric	CHK10	-	121.00	126.00
35mm Rails Perforated Rail (7.5mm Depth) 1000mm Length	Elmex Electric	CHKS10	-	142.00	156.00
35mm Rails (15mm Depth)					
35mm Rails (15mm Depth) for K-Series Terminals 1000mm Length	Elmex Electric	CHKD10	-	221.00	230.00
35mm Rails Perforated Rail (15mm Depth) 1000mm Length	Elmex Electric	CHKDS10	-	244.00	254.00
15mm Rails For Micro Terminals					
500mm Length	Elmex Electric	CHM5	-	58.00	66.00
1000mm Length (1 Meter)	Elmex Electric	CHM10	-	105.00	113.00
SIDE CLAMPS					
End Clamps suitable for 32mm Rail	Elmex Electric	SCS (METALLIC)	200	9.00	-
End Clamps suitable for 32mm Rail	Elmex Electric	SCSN (MELAMINE)	200	12.60	-
End Clamps suitable for 15mm Rail	Elmex Electric	SCMN (POLYAMIDE 6.6)	100	10.00	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCKN (POLYAMIDE 6.6)	100	11.60	-
End Clamps suitable for 35mm Rail with Marking Label Holder	Elmex Electric	SCKNMLH (POLYAMIDE 6.6)	100	20.00	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUN (POLYAMIDE 6.6)	100	14.70	-
End Clamps suitable for 32mm and 35mm Rail with Marking Label Holder	Elmex Electric	SCUNMLH (POLYAMIDE 6.6)	100	23.70	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUDD (POLYAMIDE 6.6)	100	31.00	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCEC35 (POLYAMIDE 6.6)	100	16.30	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCUP (POLYAMIDE 6.6)	100	15.30	-
End Clamps suitable for 32mm and 35mm Rail (Screwless)	Elmex Electric	SCUSL (POLYAMIDE 6.6)	100	33.60	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN (POLYAMIDE 6.6)	100	13.70	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN10 (POLYAMIDE 6.6)	100	16.30	-
Marking Label Holder for DCKN	Elmex Electric	MLH for DCKN	100	12.60	-
Screwless End Clamps suitable for 35mm Rail with Marking Label Holder (Screwless)	Elmex Electric	DCKNMLH (POLYAMIDE 6.6)	100	26.30	-

Price List for Accessories



MARKING LABELS Snap-On Type Marking Label Strips (1 Strip = 10 Nos.)	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs. (Per Strip of 10 labels) For Blank	Rate in Rs. (Per Strip of 10 labels) *For Printed.
For Terminal Type					
DST2.5, SCT2.5, DST2.5-1X2, DST2.5-2X2, DSDT2.5-2X2, KUT2.5N SCT2.5MC, DST2.5-2C1P, DST2.5-2C2P, DSET2.5, DSET2.5-1X2, DSET2.5-2X2	LABEL KN5	Elmex Electric	100	10.50	11.60
KUT2.5, KULT4, ET4, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, KU2D4, DUSD4 KU2D4S, KUDD4, DU3D4, KLTD4, KLTD4, KULTD4, KULTD4WS, KULTD4TS, DBK2.5, SUT4, DST4, SCT4, SCET4, DSET4, MCT2.5, DSDD2.5, KUT4-1X2, KUT4-2X2, KPCH4, ETN4 ETDD4N, KUDT4-2X2, MCT2.5, MCT2.5P4, MCT2.5MC, DS3L 2.5, DST4-1X2, KUDD4N, DST4-2X2, CST35, CATDM4, CLTDM4, KLTDM4-2W	LABEL KN5.5	Elmex Electric	100	9.00	10.00
KUT4, KATM3, KATM4, KATM5, KBTM4, KABTM4, KBTM5-15, KBTM6, KBT100, MCT4, KNL4, OAT2.5, PS8M, FDBK3, FDBK4, FDBK8, FDBK-1X2, FDBK-1X2, FDBK-1X4, KATM3E, KATM4E, KBTM4E, KBTM5E, KATM3C, KABTM3, KABTM5, CST2.5, CST6, CATM3, CBTM5	LABEL KN6.5	Elmex Electric	100	9.50	10.50
KUT6, KULT6, KUDF4, KUDF4AD, KUDDF4, KUDDF4AD, DS8LP16/32, KUTSD6, ETN6, KUTD10, KULTD6, ET6, DST6, DCF4, DSET6, KNL16, PAT30, PAT100, PAT150, KUT6N, PAT250, KUDT6, SCT6, DST6-1X2, CBTM6, CBTM6S1, CBT100, CABTM4	LABEL KN8	Elmex Electric	100	10.50	11.60
OAT6, OAT6T, KUFH4, KUFH4A, KUFH4D, OAT6DTS, OAT6DTS-2W	LABEL KN9	Elmex Electric	100	10.50	11.60
KUT10, KULT1, DPBB50/50CN, DPBB70/70CN, DPBB120/120CN, DPBB185N, DPBB240, DFBK12, DBK3, DBK4, DBK5, DBK8, DBK-1X2, DBK-1X4, DBK-1X8, DST10, LPT225, LPT325, DSET10, MCT2.5P4, DMCT2.5P4, KATM4C, KATM5C, KBTM4C, KABTM4C, KABTM5C, DST10-1X2, CST10, CST16, CSLT1, CBT110, CBT170, CBT250, CBT300, CBT110T, CBT170T, CBT250T, CBT300T, KUT10N, ETN10	LABEL KN10	Elmex Electric	100	11.60	12.60
KUT16, KUT25, ET16, ET35, KUF10, KUF10A*, KUF10D, DBK150/16-1X2, OAT10DTS, DBK150/16-1X4, DBK150/16-1X8, DBK150/25 Series, DST16, LPT235, LPT335, DBD16, DBD35, MCT4P4, DBK150/M6C Series, SPT Series, KBTM5-15C, KBTM6E, SCF6, DST16-1X2, DTB35-10X4, CST25	LABEL KN12	Elmex Electric	100	10.50 (For 5 label Strip)	12.60 (For 5 label Strip)
KUT35, KUT50, KUT95, ET50, KBTM6C, OAT25, CST70, CST185, DTB35-10	LABEL KN17	Elmex Electric	100	11.60 (For 5 label Strip)	13.70 (For 5 label Strip)

WARNING LABELS	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs.
Warning Labels with Mounting Screws(Nylon) for Standard Terminals				
KUT2.5	WL2.5	Elmex Electric	10	On Request
KUT4, KUT4N, CST2.5	WL4	Elmex Electric	10	On Request
KUT6, CST6	WL6	Elmex Electric	10	On Request
KUT10, CST10	WL10	Elmex Electric	10	On Request
KUT16, KUT25, CST16	WL16	Elmex Electric	10	On Request
PVC Group Marking Carrier				
For 32mm DIN Rail	GMC	Elmex Electric	-	39.60
For 32mm DIN Rail - 10mm Thick	GMH10	Elmex Electric	50	21.00
For 32mm DIN Rail - 20mm Thick	GMH20	Elmex Electric	50	32.00
Barrier Plate Universal Rail Mounted to Support PCK3	UHDD	Elmex Electric	50	35.40

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5	Elmex Electric	KPNS	100	7.20	8.00
KUT4, KUT6, KUT10	Elmex Electric	KPX	100	8.20	9.10
KUT4-1X2	Elmex Electric	KPM4	100	14.80	16.30
KUT4-2X2, KUdT4-2X2	Elmex Electric	KPMD4	100	20.30	22.40
KUT16	Elmex Electric	KPY	100	10.70	11.80
KUT25	Elmex Electric	KPT	100	10.70	11.80
KU2D4, KU2D4S	Elmex Electric	EPDD4	100	14.30	15.80
KUDD4, KUDD4CC1, KUDD4CC2, KUDD4CA1, KUDD4CA2, KUDD4D1, KUDD4R, KUDD4MOV	Elmex Electric	KPDD	100	14.30	15.80
DU3D4	Elmex Electric	DP3D	100	19.80	21.80
DUSD4	Elmex Electric	DPSD	100	14.90	16.40
KULT4, KULT6, KULT1	Elmex Electric	KPSL	100	14.90	16.40
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE	Elmex Electric	KPXN	100	9.80	10.80
KUDD4N, ETDD4N	Elmex Electric	KPDDN	100	22.30	24.60
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4, KABTM3, KABTM5, KATM3E, KATM4E, KBTM4E, KBTM5E	Elmex Electric	KPS4	100	13.00	14.30
KBTM6E	Elmex Electric	KPS6	100	16.20	17.90
OAT2.5	Elmex Electric	OEP2.5	100	12.10	13.40
OAT6	Elmex Electric	OEP6	100	13.00	14.30
OAT25	Elmex Electric	OEP25	100	17.30	19.10
OAT6T	Elmex Electric	OEP6T	100	18.70	20.60
OAT6DTS, OAT6DTS-2W	Elmex Electric	OEP6DTS	100	19.20	21.20
OAT10DTS	Elmex Electric	OEP10DTS	100	21.90	24.10
KUF10, KUF10D, KUF10A	Elmex Electric	EPF10	100	22.40	24.70
KUFH4, KUFH4D, KUFH4A	Elmex Electric	EPFH	100	16.10	17.80
KLTD4M4N, KLTD4M4-2W	Elmex Electric	KPLD	100	18.00	19.80
KUTSD6	Elmex Electric	KPSD	100	16.10	17.80
KUTD10	Elmex Electric	KPTD	100	18.00	19.80
KULTD6	Elmex Electric	KPSLD	100	17.30	19.10
KULTD4, KULTD4WS, KULTD4TS, KPCH4, KPCH6, KUdT6	Elmex Electric	KPSD4	100	13.70	15.10
KBT100	Elmex Electric	KPS100	100	15.70	17.30
DS3L2.5	Elmex Electric	DSEP3	100	37.00	On Request
DS8LP16, DS8LP32	Elmex Electric	DSEP8	100	On Request	On Request
SUT4	Elmex Electric	ES4	100	8.20	9.10
PET4	Elmex Electric	EPP	100	9.90	10.90
DST2.5	Elmex Electric	DSEP2.5	100	7.90	8.70
DST4, DSET4	Elmex Electric	DSEP4	100	9.40	10.40
DST6, DSET6	Elmex Electric	DSEP6	100	11.20	12.40
DST10, DSET10	Elmex Electric	DSEP10	100	11.90	13.10
DST16	Elmex Electric	DSEP16	100	18.70	20.60
SCT2.5, SCT2.5MC	Elmex Electric	SEP2.5	100	6.50	7.20
SCT4, SCET4	Elmex Electric	SEP4	100	7.40	8.20
SCT6	Elmex Electric	SEP6	100	9.90	10.90
SCT10	Elmex Electric	SEP10	100	11.30	12.50
DST2.5-1X2	Elmex Electric	DSMP2.5-1X2	100	9.40	10.40
DST2.5-2X2	Elmex Electric	DSMP2.5-2X2	100	9.90	10.90
DST4-1X2	Elmex Electric	DSMP4-1X2	100	11.60	12.80
DST4-2X2	Elmex Electric	DSMP4-2X2	100	14.30	15.80
DST6-1X2	Elmex Electric	DSMP6-1X2	100	14.30	15.80
DST10-1X2	Elmex Electric	DSMP10-1X2	100	14.70	16.20
DST16-1X2	Elmex Electric	DSMP16-1X2	100	16.10	17.80
DST2.5-2C1P	Elmex Electric	DSMP2.5-2C1P	100	15.60	17.20
DST2.5-2C2P	Elmex Electric	DSMP2.5-2C2P	100	18.70	20.60
DSDT2.5	Elmex Electric	DPDT2.5	100	10.40	On Request
DSDT2.5-2X2	Elmex Electric	DPMDT2.5	100	13.30	On Request
DSDD2.5	Elmex Electric	DPDD2.5	100	13.70	On Request
DCF4, DCF4D, DCF4A	Elmex Electric	DFEP	100	15.60	On Request
SCF6	Elmex Electric	SFEP6	100	13.00	On Request
MCT1.5	Elmex Electric	MEP1.5	100	4.80	On Request
MCT2.5, MCT2.5P4	Elmex Electric	MEP2.5	100	5.20	5.80
MCT2.5MC	Elmex Electric	MEP2.5MC	100	7.90	On Request
MCT4, MCT4P4	Elmex Electric	MEP4	100	9.10	10.10
DMCT2.5P4	Elmex Electric	DMEP2.5P4	100	12.40	-

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
PAT30	Elmex Electric	EPA30	100	15.60	17.20
PAT100, PAT150, PAT250	Elmex Electric	EPA100	100	22.30	24.60
PBTM3, PBTM4	Elmex Electric	EPBM4	100	8.90	-
CST2.5, CST6, CST10	Elmex Electric	EPX	100	9.40	10.40
CST16	Elmex Electric	EPY	100	18.00	19.80
CST25	Elmex Electric	EPT	100	18.70	20.60
CST35	Elmex Electric	EPZ	100	19.90	21.90
CATM3, CATM4, CATM5, CBTM4, CBT M5, CBT M6, CABTM4	Elmex Electric	EPS4	100	12.40	13.70
CBTM6S1, CBT100	Elmex Electric	EPS5/6	100	18.00	19.80
CATDM4	Elmex Electric	EPD4	100	19.90	21.90
CLTDM4	Elmex Electric	EPLD4	100	19.90	21.90
CSLT1	Elmex Electric	EPSL	100	16.10	17.80

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5, DBK2.5	Elmex Electric	KBM	100	15.60	17.20
KUT4, KST4UWS, KUT6, KUT10, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK8, FDBK1X4, FDBK1X8, DFBK12	Elmex Electric	KBX	100	19.20	21.20
KST6WS, KUT16, DBK150/16-1X2, DBK150/16-1X4	Elmex Electric	KBY	100	23.60	26.00
KUT25, DBK150/25-1X2, DBK150/25-1X4	Elmex Electric	KBT	100	24.80	27.30
SUT4	Elmex Electric	MBX	100	18.70	20.60
SCT2.5, SCT4	Elmex Electric	DBF1	100	38.40	42.30
DST2.5, DST4, DSET4	Elmex Electric	DBF2	100	40.60	44.70
DST2.5-1X2, DST4-1X2, DSDT2.5, SCT6, SCT10	Elmex Electric	DBF3	100	56.90	62.60
DST6, DST10, DST16, DSET6, DSET10, DST2.5-2X2, DST4-2X2	Elmex Electric	DBF4	100	71.80	79.00
DST6-1X2, DSDT2.5-2X2	Elmex Electric	DBF5	100	92.10	101.40

PARTITION PLATES WITH FOOT

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5, KUT4, KST4UWS, KUT6, KUT10, ET4, ET6, ET10, KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KATM3C, KATM4C, KATM5C-15, KBTM6C, KATM3E, KATM4E, KBTM4E, KBTM5E, OAT2.5, OAT6, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK3, FDBK8, FDBK1X4, FDBK1X8, DFBK12, DBK2.5, DBD16, DBD35, KABTM4, CST2.5, CST6, CST10, KBT100, FDBK-1X2, FDBK3/4/8, DBK3/4/5/8, DBK150/M6C-1X2, DBK150/M6C-1X4, DBK150/M6C-1X8	Elmex Electric	KBXF-Grey	100	23.50	25.90
KUT16, KUT25, KUT35, ET16, ET35, KULT4, KULT6, KULT1, KUDF4, KUDF4D, KUDF4A, KUDDF4, KUDDF4D, KUDDF4A, KUF10, KUF10D, KUF10A, KUFH4, KUFH4D, KUFH4A, KULTD4, KULTD4WS, OAT6T, DBK150/16-1X2, DBK150/16-1X4, DBK150/25-1X2, DBK150/25-1X4, KPCH4, KUDT6, KUPDS6, CST16, CST25, CSLT1	Elmex Electric	KBZF-Grey	100	29.60	32.60
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, ETN4, ETN6, ETN10, KUT4-1X2	Elmex Electric	KNBF2.5/10	100	29.60	32.60
DPBB50/50CN, DPBB70/70CN	Elmex Electric	BPN70	20	43.30	47.70
DPBB120/120CN	Elmex Electric	BPN120	20	49.30	54.30
DPBB185N, DPBB240	Elmex Electric	BPA185/240	20	67.80	74.60

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
CBT110, CBT110T	Elmex Electric	BPA110	20	47.00	51.70
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Electric	BPA17/25	20	51.80	57.00
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Electric	BPA25/30	20	67.80	74.60

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Removable Shorting Links - 2 Ways					
KUT4,CST2.5	Elmex Electric	RSL2.5	50	7.20	
KUT6, CST6	Elmex Electric	RSL6	50	7.20	
KUT10, CST10	Elmex Electric	RSL10	50	8.30	
KUT16, CST16	Elmex Electric	RSL16	50	11.60	
KUT25, CST25	Elmex Electric	RSL25	50	18.20	
CST35	Elmex Electric	RSL35	50	24.20	
KUT35	Elmex Electric	RSL35K	50	24.20	
KULT1, CSLT1	Elmex Electric	RSL1L	50	36.30	
Long Stud With Screws for Removable Shorting Links					
KUT4, KUT6, CST2.5, CST6	Elmex Electric	LSR2.5-6	50	13.20	
KUT10, KUT16, KUT25, CST10,CST16	Elmex Electric	LSR10-16	50	14.30	
CST25	Elmex Electric	LSR25	50	22.00	
CST35	Elmex Electric	LSR35	50	31.40	
KUT35	Elmex Electric	LSR35K	50	30.30	
KULT1, CSLT1	Elmex Electric	LSR1L	50	39.10	
KUT2.5N	Elmex Electric	LSR2.5N	50	12.10	
KUT4N, KUT4-1X2, KUT4-2X2, KUT6N	Elmex Electric	LSR6N	50	13.20	

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Cross Connection Link Assembly for Permanent Shorting 2 way with Captive Screws, Sleeves and Washer					
KUT2.5	Elmex Electric	CCLM2.5K	50	18.20	
KUT4, CST2.5	Elmex Electric	CCLA2.5	50	21.80	
KUT6, KUT6N, CST6	Elmex Electric	CCLA6/6N	50	21.80	
KUT10, CST10, KUT10N	Elmex Electric	CCLA10/10N	50	23.70	
KUT16, CST16	Elmex Electric	CCLA16	50	27.90	
KUT25, CST25	Elmex Electric	CCLA25	50	31.00	
CST35	Elmex Electric	CCLA35	50	37.00	
KUT35	Elmex Electric	CCLA35K	50	37.00	
KUT50 , KUT50/70A	Elmex Electric	CCLA50	50	187.60	
KU2D4, KUDD4, SUT4, PET4	Elmex Electric	CCLADD	50	18.90	
DU3D4, DUSD4	Elmex Electric	CCLATD	50	18.90	
KULT4	Elmex Electric	CCLAK4	50	20.60	
KULT6	Elmex Electric	CCLAK6	50	24.20	
CSLT1	Elmex Electric	CCLA1L	50	32.70	
KULT1	Elmex Electric	CCLA1LK	50	31.50	
KUT2.5N	Elmex Electric	CCLK2.5/CCLM2.5N	50	18.20	
KUT4N, KUT4-1X2, KUT4-2X2	Elmex Electric	CCLA4N	50	20.10	
KUDD4N	Elmex Electric	CCLADDN	50	24.20	

INTER CONNECTING ACCESSORIES

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation -2 Ways for					
KUT2.5N	Elmex Electric	SLC2.5N	50	22.50	
KUT2.5, DU3D4, DUSD4, KULT4, KUDD4N, KULTD4, KULTD4TS, KULTD4WS, KPCH4, KUDD4-2X2, KU2D4, KU2D4S, KUDD4	Elmex Electric	SLC4N	50	23.70	
KUT4, CST2.5	Elmex Electric	SLC2.5	50	22.50	
CET4	Elmex Electric	SLE2	50	26.10	
KUT6, KULT6, KUT6N, KUTSD6, KUTD10	Elmex Electric	SLC6	50	31.50	
KUT10, CST10	Elmex Electric	SLC10N	50	35.10	
KATM3, KATM3E, KABTM3	Elmex Electric	KSL3	50	31.30	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4	Elmex Electric	KSL4	50	32.70	
KBTM5-15, KABTM5, KBTM5E, CBTM4, CBTM5	Elmex Electric	KSL5	50	33.90	
KBTM6, CBTM6	Elmex Electric	KSL6/BSL6	50	36.30	
OAT25	Elmex Electric	KSL7	50	41.80	
OAT2.5	Elmex Electric	OSL2.5	50	30.30	
OAT6, OAT6T, OAT6DTS, OAT6DTS-2W	Elmex Electric	OSL6/OSL6R	50	32.70/38.80	
OAT6DTS-2WSL	Elmex Electric	OSLD6	50	52.10	
OAT10DTS	Elmex Electric	OSLD10	50	78.10	
KUDF4, KUDF4AD, KUDDF4, KUDDF4AD	Elmex Electric	UFSL	50	31.50	
KLTD4M4NV	Elmex Electric	KDSL4	50	33.90	

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation - 2 Ways for					
KULTD6	Elmex Electric	KSLD6	50	27.90	
KUTD6	Elmex Electric	SLC6SL	50	28.50	
DTB35-10	Elmex Electric	SLC17.5	50	71.40	
KULTD6, KUPTD6, KUPTD6S	Elmex Electric	SLD6	50	31.50	
CATM3	Elmex Electric	ASL1	50	35.10	
CATM4, CATM5, CATDM4, CLTDM4, CABTM4	Elmex Electric	ADSL/ADSLR	50	32.70/39.40	
Insulated Push-In Type Shorting Link - 2 Ways for					
DST2.5, DCT2.5-1X2, DST2.5-1X2, DST2.5-2X2, SCT2.5, SCT2.5MC	Elmex Electric	SSL2.5	100	13.40	
DST2.5-1C1P, DST2.5-2C2P, DSDT2.5					
DST4, SCT4, DCF4, DCF4D, DCF4A, DSDD2.5, DST4-1X2/2X2, DS3L2.5	Elmex Electric	SSL4	100	22.50	
DST6, DST6-1X2, SCF6, SCT6	Elmex Electric	SSL6	100	31.50	
DST10, SCT10, DST10-1X2	Elmex Electric	SSL10	100	50.90	
DST16, DST16-1X2	Elmex Electric	SSL16	100	81.10	
DST35, DTB35-10X4	Elmex Electric	SSL35	100	108.90	
MCT1.5	Elmex Electric	MSL1.5	100	19.40	
MCT2.5, MCT2.5P4, MCT2.5MC, DMCT2.5P4	Elmex Electric	MSL2.5	100	20.10	
MCT4, MCT4P4	Elmex Electric	MSL4	100	25.50	

Available upto 10 ways (No. of ways Required = Rate for 2 ways / 2 x No. of ways Required)

PROTECTION COVER

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
CST2.5, CST6, CST10, KUT4, KUT6, KUT10	Elmex Electric	PCST (300mm)	-	136.00	
CATM3, CATM4, CBTM4, CBTM5, CBTM6, CABTM4	Elmex Electric	PCC3 (300mm)	-	148.40	
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4	Elmex Electric	PCC3K (300mm)	-	148.40	
CBT110, CBT110T (Covers One Terminal Block)	Elmex Electric	PCP110	-	58.80	
CBT110, CBT110T (Covers Two Terminal Block)	Elmex Electric	PCP110L	-	65.50	
DPBB50/50CN, DPBB70/70CN, DPBB120/120CN (Covers One Terminal Block)	Elmex Electric	PCP120	-	52.60	
CBT170, CBT170T (Covers One Terminal Block)	Elmex Electric	PCP170	-	68.00	
CBT170, CBT170T (Covers Two Terminal Block)	Elmex Electric	PCP170L	-	71.10	
CBT250, CBT250T, CBT300, CBT300T (Covers One Terminal Block)	Elmex Electric	PCP250	-	74.20	
CBT250, CBT250T, CBT300, CBT300T (Covers Two Terminal Block)	Elmex Electric	PCP25/30L	-	88.60	
KUTM2.5, KUT2.5, KUT4, KUT6, KUT10, KUT10, KUT16, KUT25, KUT35, ET4, ET6, ET10, ET16, ET35, KU2D4, KULT4, KULT6, KULT1, KUT2.5N, KUT4N, KUT6N, KUT10N, OAT2.5, OAT6, OAT6DTS, OAT6DTS-2W, KULTD4, KULTD4WS, KULTD4TS, KUDD4CC1, KUDD4CC2, KUDD4D1, KUDD4R, KUDD4CA1, KUDD4CA2, KUDT4-2X2, KUDD4MOV, CSTM2.5, CST2.5, CST6, CST10, CST16, CST25, CST2.5WS, CST6WS, CSLT1, ETN4, ETN6, ETN10, KUT4-1X2, KPCH4	Elmex Electric	PCK3	-	177.20	
CATDM4, CLTDM4, KLDM4	Elmex Electric	PCD3(300mm)	-	200.90	
CATM3 (Covers Two Terminal Block)	Elmex Electric	PCCM20	-	23.70	
CATM3 (Covers Three Terminal Block), CBTM4, CBTM5 (Covers One Terminal Block)	Elmex Electric	PCCM30	-	24.30	
CATM4, CATM5, CABTM4 (Covers Two Terminal Block)	Elmex Electric	PCCM26	-	20.60	
CATM4, CATM5 (Covers Three Terminal Block)	Elmex Electric	PCCM39	-	27.30	
CBTM4, CBTM5, CBTM5-15 (Covers Three Terminal Block)	Elmex Electric	PCCM45K	-	27.30	
CBTM6 (Covers Three Terminal Block)	Elmex Electric	PCCM60	-	29.40	
CATDM4, CLTDM4 (Covers Two Terminal Block)	Elmex Electric	PCDM26	-	24.80	
CATDM4, CLTDM4 (Covers Three Terminal Block)	Elmex Electric	PCDM39	-	35.60	
KATM3, KATM3E (Covers Two Terminal Block)	Elmex Electric	PCCM17K	-	20.10	
KBTM6 (Covers Three Terminal Block)	Elmex Electric	PCCM51K	-	30.90	
KBT100, CBT100 (Covers Two Terminal Block)	Elmex Electric	PCCM52K	-	28.40	
KBT100, CBT100 (Covers Three Terminal Block)	Elmex Electric	PCCM78K	-	44.90	
CBTM6 (Covers Two Terminal Block)	Elmex Electric	PCCM40	-	26.80	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4 (Covers Two Terminal Block)	Elmex Electric	PCCM26K	-	20.60	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KBTM5E, KABTM4 (Covers Three Terminal Block)	Elmex Electric	PCCM39K	-	27.30	

Note

- The Standard colour of Polyamide 66 Terminals and Accessories will be Grey. The non-standard colour will be Red, Yellow, Blue, Black. Any colour other than these shall be quoted against specific request.
- The Purchase Order for non-standard colour items other than Terminals KUT2.5 to KUT35 and all Stud Type Terminals will be subject to Minimum Order Quantity. Please Contact us for MOQ.
- Standard colour for Melamine Terminals and accessories is Khakhi. The non-standard colour will be Red, Yellow, Blue, Black Only.
- Please contact us for the prices of channels for lengths other than mentioned in the price list.

Terms & Conditions

1. Price : Ex-works Vadodara/ Por/ Itola.
2. Packing & Forwarding : Inclusive of standard packing.
3. GST : Extra as applicable.
4. Freight : To be borne by customer.
5. Payment : 100% advance or as agreed.
6. Dispatch : By Road/Rail/Courier or on request by Air.
7. Insurance : If desired by customer, at his cost.
8. Arbitration : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules.
9. Place of jurisdiction : The competent place of jurisdiction will be Vadodara, Gujarat, India.
10. Shortages/Damage/Loss in Transit : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company.

Special Clauses

1. Deduction : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent.
2. Price Variation : We reserve the rights to revise our Price list as and when required without any prior notice.



Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net