



elmex

since 1963




Price List

Effective from April 2026



since 1963

Converging
Innovations  Expanding
Solutions



**Solutions For
Connectivity**




**Solutions For
Solar Photovoltaic**



**Solutions For
Metering & Protection**



**Solutions For
Control & Instrumentation**



**Solutions For
Railways**



**Solutions For
Oil & Gas Industry**

INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
DIN RAIL MOUNTED TERMINALS POLYAMIDE 6.6			
FEED THROUGH TERMINALS			
KUT2.5	6	KATM3E	9
KUT4	6	KATM4E	9
KUT6	6	KBTM4	9
KUT10	6	KBTM5-15	9
KUT16	6	KBTM6	9
KUT25	6	KBT100	9
KUT35	6	KBTM4E	9
KUT50	6	KBTM5E	10
KUT50/70A	6	KBTM6E	10
KUT95	6	STUD TYPE TERMINALS (Shrouded)	
MULTIPLE OUTPUT TERMINALS (KUT SERIES)			
KUT4-1X2	6	KATM3C (Shrouded Version)	10
KUT4-2X2	6	KATM4C (Shrouded Version)	10
EARTH TERMINALS			
ET4	6	KATM5C (Shrouded Version)	10
ET6	6	KBTM4C (Shrouded Version)	10
ET10	7	KBTM5-15C (Shrouded Version)	10
ET16	7	KBTM6C (Shrouded Version)	10
ET35	7	KABTM4C (Shrouded - Screw & Nut Driver Operated)	10
ET50	7	KABTM5C (Shrouded - Screw & Nut Driver Operated)	10
MULTI-LEVEL TERMINALS (DOUBLE DECK)			
KU2D4	7	OAT2.5	10
KU2D4S (Internally Shorted)	7	OAT6	10
KUDD4	7	OAT25	10
SPRING LOADED TERMINALS			
KULT4	7	FUSE TERMINALS	
KULT6	7	KUDF4NV	11
KULT1	7	KUDF4AD (With LED Indication)	11
THERMOCOUPLE TERMINALS			
KUT4NTCK	8	KUFH4	11
KUT4NTCJ	8	KUFH4D (With LED Indication)	11
KUT4NTCT	8	KUFH4A (With LED Indication)	11
KUT4NTCE	8	KUF10	11
MULTI-LEVEL TERMINALS (TRIPLE DECK)			
DU3D4	8	KUF10D (With LED Indication)	11
DUSD4	8	KUF10A (With LED Indication)	11
FEED THROUGH TERMINALS (KUT-N SERIES)			
KUT2.5N	8	FUSE FEED THROUGH TERMINALS	
KUT4N	8	KUDDF4	11
KUT6N	8	KUDDF4AD (With LED Indication)	11
KUT10N	8	PLUG & SOCKET TERMINALS	
KUDD4N	8	PS8M (2W to 12W)	11
EARTH TERMINALS (N SERIES)			
ETN4	8	DISCONNECTING TERMINALS (SLIDING LINK TYPE)	
ETN6	8	KLTD4NV	12
ETN10	9	KLTD4-2W	12
ETDD4N	9	KUTSD6	12
STUD TYPE TERMINALS (SCREW DRIVER OPERATED)			
KATM3	9	KUTD10	12
KABTM3 (Screw & Nut Driver Operated)	9	KULTD6 (Spring Loaded)	12
KATM4	9	OAT6T (Hinged Type)	12
KABTM4 (Screw & Nut Driver Operated)	9	OAT6DTS (Hinged Type)	12
KATM5	9	OAT6DTS-2W (Hinged Type)	12
KABTM5	9	OAT10DTS	12
DISCONNECTING TERMINALS (KNIFE EDGE TYPE)			
		KULTD4	12
		KULTD4WS (Spring Loaded)	12
		KUDT4TS	12
		KUDT4-2X2	12
		KUDT6	13

INDEX




PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
POWER TERMINALS (PANEL MOUNTED)		COMPONENT HOUSING	
PAT30	13	KPCH4	16
PAT100	13	KPCH6	16
PAT150	13	KUDD4CC1 (Common Cathode 1)	16
PAT250	13	KUDD4CC2 (Common Cathode 2)	16
POWER TERMINALS		KUDD4CA1 (Common Anode 1)	16
DPBB50	13	KUDD4CA2 (Common Anode 2)	16
DPBB50CN	13	KUDD4D1 (One Diode)	16
DPBB70	13	KUDD4R (One Resistor)	16
DPBB70CN	13	KUDD4MOV (With MOV)	16
DPBB120	13	MICRO TERMINALS (15mm Rail Mounted)	
DPBB120CN	13	SUT4	16
DPBB185N	13	SET4 (Earthing)	16
DPBB240	13	MICRO TERMINALS (Panel Mounted)	
POWER TERMINALS (Finger Safe)		PET4	17
SPT35 (35mm Rail Mounted)	14	PBTM3	17
SPT70 (35mm Rail Mounted)	14	PBTM4	17
SPT95 (35mm Rail Mounted)	14	SPRING CLAMP TERMINALS- FEED THROUGH (35mm Rail Mounted)	
SPT120 (35mm Rail Mounted)	14	DST2.5	17
SPT150 (35mm Rail Mounted)	14	DST4	17
SPT185 (35mm Rail Mounted)	14	DST6	17
SPT240 (35mm Rail Mounted)	14	DST10	17
SPT300 (35mm Rail Mounted)	14	DST16	17
DISTRIBUTION BLOCKS		DST35	17
FDBK-1X2	14	DST2.5-1X2	17
FDBK-1X4	14	DST2.5-2X2	17
FDBK-1X8	14	DST4-1X2	17
FDBK3	14	DST4-2X2	17
FDBK4	14	DST6-1X2	17
FDBK8	14	DST10-1X2	17
DBK-1X2	14	DST16-1X2	18
DBK-1X4	14	DST2.5-2C1P	18
DBK-1X8	15	DST2.5-2C2P	18
DFBK12	15	DST2.5-2C1PP	18
DBK3	15	SCT2.5 (Side - Entry)	18
DBK4	15	SCT4 (Side - Entry)	18
DBK5	15	SCT6 (Side - Entry)	18
DBK8	15	SCT10 (Side - Entry)	18
DBK150/16-1X2	15	SPRING CLAMP TERMINALS - MULTI LEVEL	
DBK150/16-1X4	15	DSDD2.5	18
DBK150/16-1X8	15	DS3L2.5	18
DBK150/25-1X2	15	DS8LP16	18
DBK150/25-1X4	15	DS8LP32	18
DBK150/25-1X8	15	SPRING CLAMP TERMINALS - FUSE	
DBK150/M6C-1X2	15	DCF4	18
DBK150/M6C-1X4	15	DCF4D (With LED Indication)	18
DBK150/M6C-1X8	15	DCF4A (With LED Indication)	18
COMPACT DISTRIBUTION BLOCKS		SCF6	18
DBD16	15	SPRING CLAMP DISCONNECT TERMINALS	
DBD35	15	DSDT2.5	19
DTB35-10	16	DSDT2.5-2X2	19
DTB35-10X4	16	SPRING CLAMP DISTRIBUTION BLOCKS	
		DTB35-10	19


INDEX





PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
SPRING CLAMP DISTRIBUTION BLOCKS		SPRING LOADED TERMINALS	
DTB35-10X4	19	CSLT1	22
SPRING CLAMP TERMINALS (EARTHING)		STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
DSET2.5	19	CATM3	22
DSET4	19	CATM4	22
DSET6	19	CATM5	22
DSET10	19	STUD TYPE TERMINALS (NUT DRIVER OPERATED)	
SCET4	19	CBTM4	23
DSET2.5-1X2	19	CBTM5	23
DSET2.5-2X2	19	CBTM6	23
SPRING CLAMP MICRO TERMINALS (15mm Rail Mounted)		CBTM6S1	23
MCT2.5MC	19	STUD TYPE TERMINALS (SCREW & NUT DRIVER OPERATED)	
SCT2.5MC	19	CABTM4	23
SPRING CLAMP MICRO TERMINALS (PANEL MOUNTED)		PLUG & SOCKET TERMINALS	
MCT1.5	20	PSC1/5	23
MCT2.5	20	TEST - DISCONNECT TERMINALS	
MCT2.5P4	20	CATDM4	23
MCT4	20	CLTDM4	23
MCT4P4	20	POWER TERMINALS	
SPRING CLAMP MICRO TERMINALS (DIN RAIL MOUNTED)		CBT100	23
DMCT2.5P4	20	CBT110	23
PLUG & SOCKET TERMINALS		CBT170	23
DPSC5.08 (Wire to Wire)	20	CBT250	23
DPSC5.08 (Panel Mounted)	20	CBT300	23
LIGHTING POLE TERMINALS		POWER TERMINALS (WITH TAPPED CURRENT BAR)	
LPT225	20	CBT110T	24
LPT235	20	CBT170T	24
LPT325	20	CBT250T	24
LPT335	20	CBT300T	24
NEUTRAL LINKS		ACCESSORIES	
KNL4	21	DIN RAIL & END CLAMPS	29
KNL16	21	MARKING LABELS & WARNING LABELS	30
KNL35	21	END PLATES	31-32
DIN RAIL MOUNTED TERMINALS MELAMINE		PARTITION PLATES	32
FEED THROUGH TERMINALS		INTER CONNECTING ACCESSORIES	33-34
CST2.5	22	PROTECTION COVERS	34
CST6	22		
CST10	22		
CST16	22		
CST25	22		
CST35	22		


Feed Through Terminals


KUT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT2.5	12.10	13.40
	Voltage: 800 V	End Plate	KPNS	6.90	7.60
	Current: 24 A	Shorting Link	CCLM2.5K	16.50	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				


KUT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4	14.70	16.20
	Voltage: 800 V	End Plate	KPX	7.90	8.70
	Current: 32 A	Shorting Link	CCLA2.5	19.80	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 0.5 Nm				


KUT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT6	20.60	22.70
	Voltage: 800 V	End Plate	KPX	7.90	8.70
	Current: 41 A	Shorting Link	CCLA6	19.80	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-
	Torque: 0.8 Nm				


KUT10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT10	26.80	29.50
	Voltage: 800 V	End Plate	KPX	7.90	8.70
	Current: 57 A	Shorting Link	CCLA10	21.50	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-
	Torque: 1.2 Nm				


KUT16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT16	48.30	53.20
	Voltage: 1000 V	End Plate	KPY	10.30	11.40
	Current: 76 A	Shorting Link	CCLA16	25.30	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.60 (5 labels)	-
	Torque: 1.2 Nm				

KUT25				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT25	78.80	86.70
	Voltage: 1000 V	End Plate	KPT	10.30	11.40
	Current: 101 A	Shorting Link	CCLA25	28.10	-
	Wire Size: 25 mm ²	Marker	LabelKN12	12.60 (5 labels)	-
	Torque: 2.3 Nm				


KUT35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT35	113.40	124.80
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	CCLA35K	33.60	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 3 Nm				


KUT50				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50	320.30	352.40
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 150 A	Shorting Link	CCLA50	170.50	-
	Wire Size: 50 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 8 Nm				

KUT50/70A				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50/70A	320.30	352.40
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 192 A	Shorting Link	CCLA50	170.50	-
	Wire Size: 70 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 8 Nm				


KUT95				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT95	530.30	583.33
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 232 A	Shorting Link	Not Required	-	-
	Wire Size: 95 mm ²	Marker	LabelKN17	13.70 (5 labels)	-
	Torque: 20 Nm				


Multiple Output Terminals (KUT Series)

KUT4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-1X2	33.60	37.00
	Voltage: 1000 V	End Plate	KPM4	14.30	15.80
	Current: 32 A	Shorting Link	CCLA4N	18.20	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				

KUT4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-2X2	46.20	50.90
	Voltage: 800 V	End Plate	KPMD4	19.70	21.70
	Current: 24 A	Shorting Link	CCLA4N	18.20	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				

Earth Terminals


ET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET4	104.00	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	10.00	-


ET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET6	120.80	-
	Wire Size: 6 mm ²	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.60	-


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




ET10			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	ET10	153.30	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.60	-


ET16			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 16 mm² Torque: 1.2 Nm</p>	Terminal	ET16	168.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN12	12.60 (5 labels)	-


ET35			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 35mm² Torque: 3 Nm</p>	Terminal	ET35	367.50	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN12	12.60 (5 labels)	-

ET50			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 50mm² Torque: 8 Nm</p>	Terminal	ET50	880.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN17	13.70 (5 labels)	-


Multi-Level Terminals (Double Deck)


KU2D4			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KU2D4	37.80	41.60
	End Plate	EPDD4	13.80	15.20
	Shorting Link	CCLADD	17.10	-
	Marker	LabelKN5.5	10.00	-


KU2D4S (Internally Shorted)			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KU2D4S	51.50	56.70
	End Plate	EPDD4	13.80	15.20
	Shorting Link	SLC4N	21.50	-
	Marker	LabelKN5.5	10.00	-

KUDD4			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4	42.00	46.20
	End Plate	KPDD	13.80	15.20
	Shorting Link	CCLADD	17.10	-
	Marker	LabelKN5.5	10.00	-

Spring Loaded Terminals


KULT4			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	KULT4	43.60	48.00
	End Plate	KPSL	14.40	15.90
	Shorting Link	CCLAK4	18.70	-
	Marker	LabelKN5.5	10.00	-

KULT6			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 1.4 Nm</p>	Terminal	KULT6	46.20	50.90
	End Plate	KPSL	14.40	15.90
	Shorting Link	CCLAK6	22.00	-
	Marker	LabelKN8	11.60	-

KULT1			Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KULT1	59.90	65.90
	End Plate	KPSL	14.40	15.90
	Shorting Link	CCLA1LK	28.60	-
	Marker	LabelKN10	12.60	-


Thermocouple Terminals

KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE


 <p>IEC 60947-7-1 Voltage: 400 V Current: 5 A Wire Size: 4 mm² Torque: 0.5 Nm</p>	Type	Terminal	Std. Colour	Non Std. Colour
	'K' Type	KUT4NTCK	115.50	127.10
	'J' Type	KUT4NTCJ	147.00	161.70
	'T' Type	KUT4NTCT	147.00	161.70
	'E' Type	KUT4NTCE	147.00	161.70
	End Plate	KPXN	9.50	10.50
	Marker	LabelKN5.5	10.00	-

Multi-Level Terminals (Triple Deck)

DU3D4


 <p>IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	DU3D4	Std. Colour 105.00	Non Std. Colour 115.50
	End Plate	DP3D	19.20	21.20
	Shorting Link	CCLATD	17.10	-
	Marker	LabelKN5.5	10.00	-

DUSD4


 <p>IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	DUSD4	Std. Colour 63.00	Non Std. Colour 69.30
	End Plate	DPSD	14.40	15.90
	Shorting Link	CCLATD	17.10	-
	Marker	LabelKN5.5	10.00	-

Feed Through Terminals (KUT-N Series)


KUT2.5N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUT2.5N	Std. Colour 13.97	Non Std. Colour 15.40
	End Plate	KPXN	9.50	10.50
	Shorting Link	CCLM2.5N	16.50	-
	Marker	LabelKN5	11.60	-


KUT4N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4mm² Torque: 0.5 Nm</p>	Terminal	KUT4N	Std. Colour 17.00	Non Std. Colour 18.70
	End Plate	KPXN	9.50	10.50
	Shorting Link	CCLA4N	18.20	-
	Marker	LabelKN5.5	10.00	-


KUT6N

 <p>IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	KUT6N	Std. Colour 22.30	Non Std. Colour 24.60
	End Plate	KPXN	9.50	10.50
	Shorting Link	CCLA6N	19.80	-
	Marker	LabelKN8	11.60	-

KUT10N


 <p>IEC 60947-7-1 Voltage: 1000 V Current: 63 A Wire Size: 10mm² Torque: 1.2 Nm</p>	Terminal	KUT10N	Std. Colour 29.60	Non Std. Colour 32.60
	End Plate	KPXN	9.50	10.50
	Shorting Link	CCLA10N	21.50	-
	Marker	LabelKN10	12.60	-

KUDD4N


 <p>IEC 60947-7-1 Voltage: 630 V Current: 28 A Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	KUDD4N	Std. Colour 52.50	Non Std. Colour 57.80
	End Plate	KPDDN	21.60	23.80
	Shorting Link	CCLADDN	22.00	-
	Marker	LabelKN5.5	10.00	-

Earth Terminals (N-Series)

ETN4


 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	ETN4	Std. Colour 110.30	Non Std. Colour -
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5.5	10.00	-


ETN6

 <p>IEC 60947-7-2 Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	ETN6	Std. Colour 123.90	Non Std. Colour -
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





ETN10		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	ETN10	144.90	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.60	-


ETDD4N		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	ETDD4N	173.30	-
	End Plate	KPDDN (Gr)	23.80	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5.5	10.00	-


Stud Type Terminals


KATM3		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3	43.60	48.00
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL3	28.40	-
	Marker	LabelKN6.5	10.50	-


KABTM3 (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KABTM3	44.10	48.60
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL3	28.40	-
	Marker	LabelKN6.5	10.50	-


KATM4		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4	58.30	64.20
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL4	29.70	-
	Marker	LabelKN6.5	10.50	-


KABTM4 (Screw & Nut Driver Operated)		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KABTM4	57.80	63.60
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL4	29.70	-
	Marker	LabelKN6.5	10.50	-


KATM5		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KATM5	65.10	71.70
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL4	29.70	-
	Marker	LabelKN6.5	10.50	-


KABTM5		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KABTM5	64.60	71.10
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL5	30.80	-
	Marker	LabelKN6.5	10.50	-


KATM3E		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.5 Nm</p>	Terminal	KATM3E	33.10	36.50
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL3	28.40	-
	Marker	LabelKN6.5	10.50	-


KATM4E		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KATM4E	37.80	41.60
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL4	29.70	-
	Marker	LabelKN6.5	10.50	-


KBTM4		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KBTM4	57.80	63.60
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL4	29.70	-
	Marker	LabelKN6.5	10.50	-

KBTM5-15		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KBTM5-15	65.10	71.70
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL5	30.80	-
	Marker	LabelKN6.5	10.50	-

KBTM6		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm² Torque: 2.5 Nm</p>	Terminal	KBTM6	92.40	101.70
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL6	33.00	-
	Marker	LabelKN6.5	10.50	-


KBT100		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 2.5 Nm</p>	Terminal	KBT100	89.30	98.30
	End Plate	KPS100	15.20	16.80
	Partition Plate	KBXF	21.70	23.90
	Marker	LabelKN6.5	10.50	-

KBTM4E		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm</p>	Terminal	KBTM4E	42.00	46.20
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL4	29.70	-
	Marker	LabelKN6.5	10.50	-


KBTM5E		Std. Colour	Non Std. Colour	
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KBTM5E	48.30	53.20
	End Plate	KPS4	12.60	13.90
	Shorting Link	KSL5	30.80	-
	Marker	LabelKN6.5	10.50	-


All Shorting Link Prices are for 2 Way Shorting.


Stud Type Terminals


KBTM6E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM6E	78.80	86.70
	Voltage: 800 V	End Plate	KPS6	15.70	17.30
	Current: 125 A	Marker	LabelKN12	12.60(5 labels)	-
	Wire Size: 35 mm ²				
	Torque: 2 Nm				


Stud Type Terminals (Shrouded)


KATM3C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM3C	56.70	62.40
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 24 A	Marker	LabelKN6.5	10.50	-
	Wire Size: 2.5 mm ²				
	Torque: 0.5 Nm				


KATM4C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM4C	65.10	71.70
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 57 A	Marker	LabelKN10	12.60	-
	Wire Size: 10 mm ²				
	Torque: 1.2 Nm				


KATM5C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM5C	73.50	80.90
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 76 A	Marker	LabelKN10	12.60	-
	Wire Size: 16 mm ²				
	Torque: 2 Nm				


KBTM4C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM4C	66.20	72.90
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 57 A	Marker	LabelKN10	12.60	-
	Wire Size: 10 mm ²				
	Torque: 1.2 Nm				


KBTM5-15C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM5-15C	75.60	83.20
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 76 A	Marker	LabelKN12	12.60	-
	Wire Size: 16 mm ²				
	Torque: 2 Nm				


KBTM6C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM6C	110.30	121.40
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 101 A	Marker	LabelKN17	13.70(5 labels)	-
	Wire Size: 25 mm ²				
	Torque: 2.5 Nm				

KABTM4C (Shrouded - Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KABTM4C	65.10	71.70
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 57 A	Marker	LabelKN10	12.60	-
	Wire Size: 10 mm ²				
	Torque: 1.2 Nm				


KABTM5C (Shrouded - Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KABTM5C	74.60	82.10
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 76 A	Marker	LabelKN10	12.60	-
	Wire Size: 16 mm ²				
	Torque: 2 Nm				


OAT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT2.5	54.60	60.10
	Voltage: 1000 V	End Plate	OEP2.5	11.70	12.90
	Current: 41 A	Shorting Link	OSL2.5	27.50	-
	Wire Size: 6.0 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 0.5 Nm				


OAT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6	66.20	72.90
	Voltage: 1000 V	End Plate	OEP6	12.60	13.90
	Current: 57 A	Shorting Link	OSL6	29.70	-
	Wire Size: 10 mm ²	Marker	LabelKN9	11.60	-
	Torque: 1.5 Nm				


OAT25				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT25	157.50	173.30
	Voltage: 1000 V	End Plate	OEP25	16.80	18.50
	Current: 125A	Shorting Link	KSL7	38.00	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.70(5 labels)	-
	Torque: 3 Nm				


Fuse Terminals


KUDF4NV*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4NV	51.50	56.70
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	28.60	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.4 Nm					


KUDF4AD** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4AD	76.70	84.40
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	28.60	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.4 Nm					


KUFH4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4	107.50	118.30
	Voltage: 800 V	End Plate	EPFH	15.60	17.20
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					

KUFH4D*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4D	141.90	156.10
	Voltage: 800 V	End Plate	EPFH	15.60	17.20
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					


KUFH4A*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4A	141.90	156.10
	Voltage: 800 V	End Plate	EPFH	15.60	17.20
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.60	-
Torque: 0.5 Nm					


KUF10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10	144.40	158.90
	Voltage: 1000 V	End Plate	EPF10	21.70	23.90
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					

KUF10D*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10D	165.20	181.80
	Voltage: 1000 V	End Plate	EPF10	21.70	23.90
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					


KUF10A*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10A	171.00	188.10
	Voltage: 1000 V	End Plate	EPF10	21.70	23.90
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.60(5 labels)	-
Torque: 1.4 Nm					

Fuse Feed Through Terminals

KUDDF4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4	122.90	135.20
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3AUT/28ALT	Shorting Link	UFSL	28.60	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.5 Nm					

KUDDF4AD** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4AD	140.70	154.80
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3AUT/28ALT	Shorting Link	UFSL	28.60	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.60	-
Torque: 0.5 Nm					

Plug & Socket Terminal

PS8M* (2W to 12W)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PS8M (2 Way)	150.00	-
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 32 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN6.5	10.50	-
Torque: 0.8 Nm					

* With spare fuse provision in lever.


**Available Signal Voltage AD12V = 12 V (12KΩ), AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ)


***Available Signal Voltage D1 = 24 VDC (27KΩ), D2 = 48 VDC (56 KΩ), D3 = 110 VDC (130 KΩ), D4 = 220 VDC (270 KΩ), D5 = 12 VDC (12 KΩ), A1 = 110 VAC (130 KΩ), A2 = 220 VAC (270 KΩ)


* PS8M-4 Way to 8 Way Prices are shown on page 26


All Shorting Link Prices are for 2 Way Shorting.


Disconnecting Terminals (Sliding Link Type)


KLTD4NV				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KLTD4NV	80.00	88.00
	Voltage: 800 V	End Plate	KPLD	17.40	19.20
	Current: 41 A	Shorting Link	KDSL4	30.80	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 1.2 Nm					


KLTD4-2W				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KLTD4-2W	227.40	250.20
	Voltage: 800 V	End Plate	KPLD	17.40	19.20
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 1.2 Nm					


KUTSD6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTSD6	84.00	92.40
	Voltage: 800 V	End Plate	KPSD	15.60	17.20
	Current: 38 A	Shorting Link	SLC6	28.60	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-
Torque: 1.4 Nm					


KUTD10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTD10	121.80	134.00
	Voltage: 630 V	End Plate	KPTD	17.40	19.20
	Current: 61 A	Shorting Link	SLC6	28.60	-
	Wire Size: 10 mm ²	Marker	LabelKN8	11.60	-
Torque: 1.2 Nm					

KULTD6 (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD6	157.50	173.30
	Voltage: 800 V	End Plate	KPSLD	16.80	18.50
	Current: 41 A	Shorting Link	SLD6	28.60	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-
Torque: 1.0 Nm					


OAT6T (Hinged Type)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6T	108.00	118.80
	Voltage: 800 V	End Plate	OEP6T	18.10	20.00
	Current: 41 A	Shorting Link	OSL6R	35.20	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.60	-
Torque: 1.5 Nm					


OAT6DTS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6DTS	110.00	121.00
	Voltage: 800 V	End Plate	OEP6DTS	18.60	20.50
	Current: 41 A	Shorting Link	OSL6R	35.20	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.60	-
Torque: 1.5 Nm					


OAT6DTS-2W				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6DTS-2W	236.30	260.00
	Voltage: 800 V	End Plate	OEP6DTS	18.60	20.50
	Current: 41 A	Shorting Link	OSL6R	35.20	-
	Wire Size: 6 mm ²	Marker	LabelKN9	11.60	-
Torque: 1.5 Nm					


OAT10DTS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT10DTS	144.90	159.40
	Voltage: 1000 V	End Plate	OEP10DTS	21.20	23.40
	Current: 57 A	Shorting Link	OSLD10	71.00	-
	Wire Size: 6 mm ²	Marker	LabelKN12	12.60 (5 labels)	-
Torque: 2 Nm					

Disconnecting Terminals (Knife Edge Type)


KULTD4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4	52.50	57.80
	Voltage: 800 V	End Plate	KPSD4	13.30	14.70
	Current: 20 A	Shorting Link	SLC4N	21.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 0.6 Nm					

KULTD4WS (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4WS	126.00	138.60
	Voltage: 800 V	End Plate	KPSD4	13.30	14.70
	Current: 20 A	Shorting Link	SLC4N	21.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 0.6 Nm					


KULTD4TS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4TS	94.50	104.00
	Voltage: 800 V	End Plate	KPSD4	13.30	14.70
	Current: 20 A	Shorting Link	SLC4N	21.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 0.6 Nm					


KUDT4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDT4-2X2	97.70	107.50
	Voltage: 800 V	End Plate	KPMD4	19.70	21.70
	Current: 17.5 A	Shorting Link	SLC4N	21.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
Torque: 0.5 Nm					


Disconnecting Terminals (Knife Edge Type)


KUDT6			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	KUDT6	100.80	110.90
	End Plate	KPSD4	13.30	14.70
	Shorting Link	KSLD6	25.30	-
	Marker	LabelKN8	11.60	-

Power Terminals (Panel Mounted)


PAT30			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	PAT 30	37.80	41.60
	End Plate	EPA30	15.10	16.70
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


PAT100			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 100 A Wire Size: 25 mm ² Torque: 3 Nm	Terminal	PAT100	149.10	164.10
	End Plate	EPA100	21.60	23.80
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


PAT150			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 150 A Wire Size: 50 mm ² Torque: 6 Nm	Terminal	PAT150	236.30	260.00
	End Plate	EPA100	21.60	23.80
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


PAT250			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 250 A Wire Size: 95 mm ² Torque: 10 Nm	Terminal	PAT250	357.00	392.70
	End Plate	EPA100	21.60	23.80
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.60	-


Power Terminals


DPBB50			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm ² Torque: 3 Nm	Terminal	DPBB50	204.80	225.30
	Barrier Plate	BPN70	42.00	46.20
	Marker	LabelKN10	12.60	-


DPBB50CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm ² Torque: 3 Nm	Terminal	DPBB50CN	213.70	235.10
	Barrier Plate	BPN70	42.00	46.20
	Marker	LabelKN10	12.60	-


DPBB70			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 3 Nm	Terminal	DPBB70	278.30	306.20
	Barrier Plate	BPN70	42.00	46.20
	Marker	LabelKN10	12.60	-

DPBB70CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 3 Nm	Terminal	DPBB70CN	289.30	318.30
	Barrier Plate	BPN70	42.00	46.20
	Marker	LabelKN10	12.60	-

DPBB120			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 6 Nm	Terminal	DPBB120	405.30	445.90
	Barrier Plate	BPN120	47.80	52.60
	Marker	LabelKN10	12.60	-

DPBB120CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 6 Nm	Terminal	DPBB120CN	417.90	459.70
	Barrier Plate	BPN120	47.80	52.60
	Marker	LabelKN10	12.60	-

DPBB185N			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm ² Torque: 14 Nm	Terminal	DPBB185N	987.00	1085.70
	Barrier Plate	BPA185/240	65.80	72.40
	Marker	LabelKN10	12.60	-


DPBB240			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm ² Torque: 25 Nm	Terminal	DPBB240	1055.30	1160.90
	Barrier Plate	BPA185/240	65.80	72.40
	Marker	LabelKN10	12.60	-


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Power Terminals (Finger Safe)


SPT35 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
	Terminal	SPT35	305.60	336.20
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.60(5 labels)	-
	IEC 60947-7-1 Voltage: 1000 V Current: 140 A Wire Size: 35 mm ² Torque: 3 Nm			


SPT70 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
	Terminal	SPT70	465.20	511.80
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.60(5 labels)	-
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 6 Nm			


SPT95 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
	Terminal	SPT95	488.30	537.20
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.60(5 labels)	-
	IEC 60947-7-1 Voltage: 1000 V Current: 232 A Wire Size: 95 mm ² Torque: 6 Nm			

SPT120 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
	Terminal	SPT120	787.50	866.30
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.60(5 labels)	-
	IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 10 Nm			


SPT150 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
	Terminal	SPT150	798.00	877.80
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.60(5 labels)	-
	IEC 60947-7-1 Voltage: 1000 V Current: 320 A Wire Size: 150 mm ² Torque: 10 Nm			


SPT185 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
	Terminal	SPT185	1270.50	1397.60
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.60(5 labels)	-
	IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm ² Torque: 14 Nm			


SPT240 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
	Terminal	SPT240	1270.50	1397.60
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.60(5 labels)	-
	IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm ² Torque: 14 Nm			


SPT300 (35mm Rail Mounted)			Std. Colour	Non Std. Colour
	Terminal	SPT300	1617.00	1778.70
	End Plate	Not Required	-	-
	Marker	LabelKN12	12.60(5 labels)	-
	IEC 60947-7-1 Voltage: 1000 V Current: 520 A Wire Size: 300 mm ² Torque: 25 Nm			


Distribution Blocks


FDBK-1X2			Std. Colour	Non Std. Colour
	Distribution Block	FDBK-1X2	197.40	217.20
	Partition Plate	KBXF	22.80	25.10
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	10.50	-
	IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm			

FDBK-1X4			Std. Colour	Non Std. Colour
	Distribution Block	FDBK-1X4	231.00	254.10
	Partition Plate	KBXF	22.80	25.10
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	10.50	-
	IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm			

FDBK-1X8			Std. Colour	Non Std. Colour
	Distribution Block	FDBK-1X8	359.10	395.10
	Partition Plate	KBXF	22.80	25.10
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	10.50	-
	IEC 60947-7-1 Voltage: 800 V Current: IC-64A, OG-32A Wire Size: IC-25 mm ² OG-4 mm ² Torque: IC-2.5 Nm OG-0.5 Nm			


FDBK3, FDBK4, FDBK8			Std. Colour	Non Std. Colour
	Distribution Block	FDBK3	87.10	96.70
		FDBK4	117.10	128.90
		FDBK8	234.20	257.70
	Partition Plate	KBXF	22.80	25.10
	Shorting Link	Not Required	-	-
	Marker	LabelKN6.5	10.50	-
IEC 60947-7-1 Voltage: 800 V Current: IC-32A, OG-32A Wire Size: IC-4 mm ² OG-4 mm ² Torque: IC-0.5 Nm OG-0.5 Nm				


DBK-1X2			Std. Colour	Non Std. Colour
	Distribution Block	DBK-1X2	241.50	265.70
	Partition Plate	KBXF	22.80	25.10
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.60	-
	IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm ² OG-10 mm ² Torque: IC-6Nm OG-1.2 Nm			


DBK-1X4			Std. Colour	Non Std. Colour
	Distribution Block	DBK-1X4	315.00	346.50
	Partition Plate	KBXF	22.80	25.10
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.60	-
	IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm ² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm			


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





DBK-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm</p>	Distribution Block	DBK-1X8	456.80 502.50
	Partition Plate	KBXF	22.80 25.10
	Shorting Link	Not Required	- -
	Marker	LabelKN10	12.60 -


DFBK12		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 50 A Wire Size: 10/4 mm² Torque: 1.2/0.5 Nm</p>	Distribution Block	DFBK12	357.00 392.70
	Partition Plate	KBXF	22.80 25.10
	Shorting Link	Not Required	- -
	Marker	LabelKN 6.5/ LabelKN10	10.50/ 12.60


DBK3, DBK4, DBK5, DBK8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-57A, OG-57A Wire Size: IC-10 mm² OG-10 mm² Torque: IC-1.2 Nm OG-1.2 Nm</p>	Distribution Block	DBK3	114.60 126.10
		DBK4	152.80 168.10
		DBK5	191.00 210.10
		DBK8	305.60 336.20
	Partition Plate	KBXF	22.80 25.10
	Shorting Link	Not Required	- -
Marker	LabelKN10	12.60 -	


DBK150/16-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block	DBK150/16-1X2	877.80 965.60
	Partition Plate	KBZF	28.70 31.60
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/16-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block	DBK150/16-1X4	993.30 1092.70
	Partition Plate	KBZF	28.70 31.60
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/16-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm² OG-16 mm² Torque: IC-14 Nm OG-1.2 Nm</p>	Distribution Block	DBK150/16-1X8	1224.30 1346.80
	Partition Plate	KBZF	28.70 31.60
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/25-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block	DBK150/25-1X2	981.80 1080.00
	Partition Plate	KBZF	28.70 31.60
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -

DBK150/25-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block	DBK150/25-1X4	1131.90 1245.10
	Partition Plate	KBZF	28.70 31.60
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/25-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm² OG-25 mm² Torque: IC-14 Nm OG-2.3 Nm</p>	Distribution Block	DBK150/25-1X8	1432.20 1575.50
	Partition Plate	KBZF	28.70 31.60
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/M6C-1X2		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block	DBK150/M6C-1X2	1201.20 1321.40
	Partition Plate	KBXF	22.80 25.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -

DBK150/M6C-1X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block	DBK150/M6C-1X4	1362.90 1499.20
	Partition Plate	KBXF	22.80 25.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBK150/M6C-1X8		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm² OG-35 mm² Torque: IC-14 Nm OG-2.5 Nm</p>	Distribution Block	DBK150/M6C-1X8	1686.30 1855.00
	Partition Plate	KBXF	22.80 25.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


Compact Distribution Blocks

DBD16		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm² OG- 6 mm², 16mm² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm</p>	Distribution Block	DBD16	399.00 438.90
	Partition Plate	KBXF	22.80 25.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


DBD35		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm² OG- 10 mm², 16 mm² Torque: IC-4.5 Nm OG- 1.2 Nm</p>	Distribution Block	DBD35	572.30 629.60
	Partition Plate	KBXF	22.80 25.10
	Shorting Link	Not Required	- -
	Marker	LabelKN12	12.60(5 labels) -


Compact Distribution Blocks


DTB35-10		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm² OG- 6 mm², 16mm² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm</p>	Distribution Block	DTB35-10	252.00 On Request
	End Plate	Not Required	- -
	Shorting Link	SLC17.5	64.90 -
	Marker	LabelKN12	12.60(5 labels) -


DTB35-10X4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm² OG- 10 mm², 16 mm² Torque: IC-4.5 Nm OG- 1.2 Nm</p>	Distribution Block	DTB35 10x4	262.50 On Request
	End Plate	Not Required	- -
	Shorting Link	SSL35	99.00 -
	Marker	LabelKN12	12.60(5 labels) -


Component Housing


KPCH 4* / KPCH 6*		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 20A/32A Wire Size: 4/6 mm² Torque: 0.6/0.8 Nm</p>	Terminal	KPCH4	97.70 107.50
		KPCH6	121.30 133.50
	End Plate	KPSD4	13.30 14.70
	Partition Plate	KBZF	28.70 31.60
	Marker	LabelKN5.5/8	10.00/11.60 -


KUDD4CC1 (Common Cathode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CC1	92.40 101.70
	End Plate	KPDD	13.80 15.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4CC2 (Common Cathode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CC2	92.40 101.70
	End Plate	KPDD	13.80 15.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4CA1 (Common Anode 1)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CA1	92.40 101.70
	End Plate	KPDD	13.80 15.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4CA2 (Common Anode 2)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4CA2	92.40 101.70
	End Plate	KPDD	13.80 15.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -


KUDD4D1 (One Diode)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4D1	92.40 101.70
	End Plate	KPDD	13.80 15.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4R (One Resistor)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4R	92.40 101.70
	End Plate	KPDD	13.80 15.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

KUDD4MOV (with MOV)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm</p>	Terminal	KUDD4MOV	138.60 152.50
	End Plate	KPDD	13.80 15.20
	Partition Plate	-	- -
	Marker	LabelKN5.5	10.00 -

Micro Terminals (15mm Rail Mounted)


SUT4		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	SUT4	13.40 14.80
	End Plate	ES4	7.90 8.70
	Shorting Link	CCLADD	17.10 -
	Marker	LabelKN5.5	10.00 -


SET4 (Earthing)		Std. Colour	Non Std. Colour
 <p>IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm</p>	Terminal	SET4	68.30 -
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN5.5	10.00 -


Price List for DIN Rail Mounted Terminals : Polyamide 6.6




Micro Terminals (Panel Mounted)


PET4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PET4	16.80	18.50
	Voltage: 500 V	End Plate	EPP	9.60	10.60
	Current: 32 A	Shorting Link	CCLADD	17.10	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 0.5 Nm				


PBTM3				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM3	12.60	-
	Voltage: 250 V	End Plate	EPBM4	8.60	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 0.5 Nm				


PBTM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM4	14.70	-
	Voltage: 250 V	End Plate	EPBM4	8.60	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 1.2 Nm				


Spring Clamp Terminals - Feed Through (35mm Rail Mounted)


DST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5	14.20	15.70
	Voltage: 800 V	End Plate	DSEP2.5	7.60	8.50
	Current: 24 A	Shorting Link	SSL2.5	12.10	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-


DST4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4	24.20	26.70
	Voltage: 800 V	End Plate	DSEP4	9.10	10.10
	Current: 32 A	Shorting Link	SSL4	20.40	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-


DST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6	48.30	53.20
	Voltage: 800 V	End Plate	DSEP6	10.80	12.00
	Current: 41 A	Shorting Link	SSL6	28.60	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-


DST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10	96.60	106.30
	Voltage: 800 V	End Plate	DSEP10	11.50	12.80
	Current: 57 A	Shorting Link	SSL10	46.20	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-


DST16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST16	131.30	144.50
	Voltage: 800 V	End Plate	DSEP16	18.10	20.20
	Current: 76 A	Shorting Link	SSL16	73.70	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.60 ^(5 labels)	-


DST35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST35	430.50	473.60
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SSL35	99.00	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.70 ^(5 labels)	-


DST2.5-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-1X2	34.10	37.60
	Voltage: 800 V	End Plate	DSMP2.5-1X2	9.10	10.10
	Current: 24 A	Shorting Link	SSL2.5	12.10	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-

DST2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-2X2	36.80	40.50
	Voltage: 1000 V	End Plate	DSMP2.5-2X2	9.60	10.60
	Current: 24 A	Shorting Link	SSL2.5	12.10	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-

DST4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4-1X2	45.20	On Request
	Voltage: 800 V	End Plate	DSMP4-1X2	11.20	12.40
	Current: 32 A	Shorting Link	SSL4	20.40	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-

DST4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4-2X2	54.10	On Request
	Voltage: 800 V	End Plate	DSMP4-2X2	13.80	15.20
	Current: 32 A	Shorting Link	SSL4	20.40	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	10.00	-

DST6-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6-1X2	105.00	On Request
	Voltage: 800 V	End Plate	DSMP6-1X2	13.80	15.20
	Current: 41 A	Shorting Link	SSL6	28.60	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.60	-


DST10-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10-1X2	162.80	On Request
	Voltage: 1000 V	End Plate	DSMP10-1X2	14.20	15.70
	Current: 57 A	Shorting Link	SSL10	46.20	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.60	-


All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Polyamide 6.6





Spring Clamp Terminals - Feed Through (35mm Rail Mounted)


DST16-1X2		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST16-1X2	199.50 On Request
	Voltage: 1000 V	End Plate DSMP16-1X2	15.60 17.20
	Current: 76 A	Shorting Link SSL16	73.70 -
	Wire Size: 16 mm ²	Marker LabelKN12	12.60 (5 labels) -
	€		


DST2.5-2C1P		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST2.5-2C1P	44.10 48.60
	Voltage: 500 V	End Plate DSMP2.5-2C1P	15.10 16.70
	Current: 16A	Shorting Link SSL2.5	12.10 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	€		


DST2.5-2C2P		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DST2.5-2C2P	51.50 56.70
	Voltage: 500 V	End Plate DSMP2.5-2C2P	18.10 20.00
	Current: 16 A	Shorting Link SSL2.5	12.10 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	€		

DST2.5-2C1PP		Std. Colour	Non Std. Colour
	DST2.5C1PP - 1 Way	39.90	-
	Compatible with terminal blocks DST 2.5 - 2C1P & DST 2.5 - 2C2P		


SCT2.5 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT2.5	14.10 15.60
	Voltage: 800 V	End Plate SEP2.5	6.30 7.00
	Current: 24 A	Shorting Link SSL2.5	12.10 -
	Wire Size: 2.5 mm ²	Marker LabelKN5	11.60 -
	€		


SCT4 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT4	22.60 24.90
	Voltage: 800 V	End Plate SEP4	7.10 7.90
	Current: 32 A	Shorting Link SSL4	20.40 -
	Wire Size: 4 mm ²	Marker LabelKN5.5	10.00 -
	€		


SCT6 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT6	59.90 65.90
	Voltage: 800 V	End Plate SEP6	9.60 10.60
	Current: 41 A	Shorting Link SSL6	28.60 -
	Wire Size: 6 mm ²	Marker LabelKN8	11.60 -
	€		

SCT10 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCT10	69.30 76.30
	Voltage: 800 V	End Plate SEP10	10.90 12.00
	Current: 57 A	Shorting Link SSL10	46.20 -
	Wire Size: 10 mm ²	Marker LabelKN10	12.60 -
	€		


Spring Clamp Terminals - Multi Level


DSDD2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DSDD2.5	39.90 On Request
	Voltage: 800 V	End Plate DPDD2.5	13.30 On Request
	Current: 24 A	Shorting Link SSL4	20.40 -
	Wire Size: 2.5 mm ²	Marker LabelKN5.5	10.00 -
	€		


DS3L2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DS3L2.5	127.10 On Request
	Voltage: 500 V	End Plate DSEP3	35.90 On Request
	Current: 20 A	Shorting Link SSL4	20.40 -
	Wire Size: 2.5 mm ²	Marker LabelKN5.5	10.00 -
	€		

DS8LP16 / P32		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DS8LP16	On Request On Request
	Voltage: 250 V	DS8LP32	On Request On Request
	Current: 10 A	End Plate DSEP8	On Request On Request
	Wire Size: 1.5 mm ²	Marker LabelKN7.5	18.90 -
	€		

Spring Clamp Terminals - Fuse


DCF4		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DCF4	89.30 On Request
	Voltage: 800 V	End Plate DFEP	15.10 On Request
	Current: 10 A	Shorting Link SSL4	20.40 -
	Wire Size: 4 mm ²	Marker LabelKN8	11.60 -
	€		


DCF4D* / 4A** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal DCF4D	119.70 On Request
	Voltage: 800 V	DCF4A	119.70 On Request
	Current: 10 A	End Plate DFEP	15.10 On Request
	Wire Size: 4 mm ²	Shorting Link SSL4	20.40 -
	€	Marker LabelKN8	11.60 -

SCF6		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal SCF6	262.50 On Request
	Voltage: 800 V	End Plate SFEP6	12.60 On Request
	Current: 10 A	Shorting Link SSL6	28.60 -
	Wire Size: 6 mm ²	Marker LabelKN12	12.60 (5 labels) -
	€		


*D1 - 24 VDC, D2 - 48 VDC, D3 - 110 VDC, D4 - 220 VDC, D5 - 12 VDC / **A1 - 110 VAC, A2 - 220 VAC
All Shorting Link Prices are for 2 Way Shorting.


Spring Clamp Terminals - Test Disconnect

DSDT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDT2.5	59.90	On Request
	Voltage: 1000 V	End Plate	DPDT2.5	10.10	On Request
	Current: 17.5 A	Shorting Link	SSL2.5	12.10	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-
	CE				


DSDT2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDT2.5-2X2	65.10	On Request
	Voltage: 1000 V	End Plate	DPMDT2.5	12.90	On Request
	Current: 17.5 A	Shorting Link	-	-	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-
	CE				


Spring Clamp Distribution Blocks


DTB35-10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DTB35-10	252.00	On Request
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SLC17.5	64.90	-
	Wire Size: IC-35 mm ²	Marker	LabelKN17	13.70	(5 labels)
	OG - 10 mm ²				


DTB35-10X4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DTB35-10X4	262.50	On Request
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SSL35	99.00	-
	Wire Size: IC-35 mm ²	Marker	LabelKN12	12.60	(5 labels)
	OG - 10 mm ²				


Spring Clamp Terminals - Earthing Type


DSET2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	DSET2.5	94.50	-
	Wire Size: 2.5 mm ²	End Plate	DSEP2.5(Gr)	8.50	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.60	-
	CE				


DSET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	DSET4	95.60	-
	Wire Size: 4 mm ²	End Plate	DSEP4(Gr)	10.10	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	10.00	-
	CE				

DSET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	DSET6	199.50	-
	Wire Size: 6 mm ²	End Plate	DSEP6(Gr)	12.00	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.60	-
	CE				


DSET10				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	DSET10	252.00	-
	Wire Size: 10 mm ²	End Plate	DSEP10(Gr)	12.80	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.60	-
	CE				


SCET4				Std. Colour	Non Std. Colour	
	IEC 60947-7-2	Terminal	SCET4	94.50	-	
	Wire Size: 4 mm ²	End Plate	SEP4(Gr)	7.90	-	
		Marker	LabelKN5.5	10.00	-	
	CE					

DSET2.5-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	DSET2.5-1X2	140.70	-
	Wire Size: 2.5 mm ²	End Plate	DSMP2.5-1X2(Gr)	10.10	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.60	-
	CE				


DSET2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	DSET2.5-2X2	141.80	-
	Wire Size: 2.5 mm ²	End Plate	DSMP2.5-2X2(Gr)	10.60	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.60	-
	CE				


Spring Clamp Micro Terminals (15mm Rail Mounted)


MCT2.5MC				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	MCT2.5MC	20.00	On Request
	Voltage: 500 V	End Plate	MEP2.5MC	7.60	On Request
	Current: 24 A	Shorting Link	MSL2.5	18.20	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	10.00	-
	CE				


SCT2.5MC				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT2.5MC	19.80	On Request
	Voltage: 800 V	End Plate	SEP2.5	6.30	7.00
	Current: 24 A	Shorting Link	SSL2.5	12.10	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.60	-
	CE				


Spring Clamp Micro Terminals - Panel Mounted

MCT1.5				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 17.5 A Wire Size: 1.5 mm²</p>	Terminal	MCT1.5	8.90	On Request	
	End Plate	MEP1.5	4.60	On Request	
	Shorting Link	MSL1.5	17.60	-	
	Marker	LabelKN10	12.60	-	


MCT2.5P4				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm²</p>	Terminal	MCT2.5P4	20.00	On Request	
	End Plate	MEP2.5	5.00	5.50	
	Shorting Link	MSL2.5	18.20	-	
	Marker	LabelKN10	12.60	-	

MCT4P4				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm²</p>	Terminal	MCT4P4	31.50	On Request	
	End Plate	MEP4	8.80	9.70	
	Shorting Link	MSL4	23.10	-	
	Marker	LabelKN12	12.60(5 labels)	-	


MCT2.5				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm²</p>	Terminal	MCT2.5	10.60	11.70	
	End Plate	MEP2.5	5.00	5.50	
	Shorting Link	MSL2.5	18.20	-	
	Marker	LabelKN5.5	10.00	-	


MCT4				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm²</p>	Terminal	MCT4	16.80	18.50	
	End Plate	MEP4	8.80	9.70	
	Shorting Link	MSL4	23.10	-	
	Marker	LabelKN6.5	10.50	-	

Spring Clamp Terminal (Din Rail Mounted)


DMCT2.5P4				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm²</p>	Terminal	DMCT2.5P4	33.60	-	
	End Plate	DMEP2.5P4	12.00	-	
	Shorting Link	MSL2.5	18.20	-	
	Marker	LabelKN10	12.60	-	


Plug & Socket Terminals


DPSC5.08 (Wire to Wire)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm²</p>	Terminal	DPSC5.08WW(2Way)	120.80	-	
		DPSC5.08WW(3Way)	181.20	-	
		DPSC5.08WW(4Way)	241.60	-	
		DPSC5.08WW(5Way)	302.00	-	
		DPSC5.08WW(6Way)	362.40	-	
		DPSC5.08WW(8Way)	483.20	-	


DPSC5.08 (Panel Mounted)				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm²</p>	Terminal	DPSC5.08PM(2Way)	136.50	-	
		DPSC5.08PM(3Way)	204.80	-	
		DPSC5.08PM(4Way)	273.00	-	
		DPSC5.08PM(5Way)	341.30	-	
		DPSC5.08PM(6Way)	409.50	-	
		DPSC5.08PM(8Way)	546.00	-	

Lighting Pole Terminals


LPT225				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm²</p>	Terminal	LPT225	94.50	104.00	
	End Plate	Not Required	-	-	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN10	12.60	-	


LPT235				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm²</p>	Terminal	LPT235	257.30	283.10	
	End Plate	Not Required	-	-	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN12	12.60(5 labels)	-	


LPT325				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm²</p>	Terminal	LPT325	144.90	159.90	
	End Plate	Not Required	-	-	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN10	12.60	-	

LPT335				Std. Colour	Non Std. Colour
 <p>IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm²</p>	Terminal	LPT335	330.80	363.90	
	End Plate	Not Required	-	-	
	Shorting Link	Not Required	-	-	
	Marker	LabelKN12	12.60(5 labels)	-	

Neutral Links


KNL4				Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm</p>	Terminal	KNL4		17.90
	Bus-Bar (6 mm x 6 mm)	KNLB6	On Request	
	Bus-Bar (10 mm x 3 mm)	KNLB10	On Request	
	End Support (Panel Mounted)	KNLSUP		18.90
	End Support (Rail Mounted)	SCNL		29.40
	Marker	LabelKN6.5		10.50


KNL16				Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm</p>	Terminal	KNL16		23.70
	Bus-Bar (6 mm x 6 mm)	KNLB6	On Request	
	Bus-Bar (10 mm x 3 mm)	KNLB10	On Request	
	End Support (Panel Mounted)	KNLSUP		18.90
	End Support (Rail Mounted)	SCNL		29.40
	Marker	LabelKN8		11.60


KNL35				Std. Colour
 <p>IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 3 Nm</p>	Terminal	KNL35		42.00
	Bus-Bar (6 mm x 6 mm)	KNLB6	On Request	
	Bus-Bar (10 mm x 3 mm)	KNLB10	On Request	
	End Support (Panel Mounted)	KNLSUP		18.90
	End Support (Rail Mounted)	SCNL		29.40
	Marker	LabelKN10		12.60


Price List for DIN Rail Mounted Terminals : Melamine


Feed Through Terminals


CST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CST2.5	20.00	22.00
		End Plate	EPX	9.10	10.10
		Shorting Link	CCLA2.5	19.80	-
		Marker	LabelKN6.5	10.50	-

CST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	CST6	24.20	26.70
		End Plate	EPX	9.10	10.10
		Shorting Link	CCLA6	19.80	-
		Marker	LabelKN8	11.60	-


CST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CST10	32.60	35.90
		End Plate	EPX	9.10	10.10
		Shorting Link	CCLA10	21.50	-
		Marker	LabelKN10	12.60	-

CST16				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 1.2 Nm	Terminal	CST16	52.50	57.80
		End Plate	EPY	17.40	19.20
		Shorting Link	CCLA16	25.30	-
		Marker	LabelKN10	12.60	-


CST25				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 1.2 Nm	Terminal	CST25	73.50	80.90
		End Plate	EPT	18.10	20.00
		Shorting Link	CCLA25	28.10	-
		Marker	LabelKN12	12.60(5 labels)	-


CST35				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 4 Nm	Terminal	CST35	141.80	156.00
		End Plate	EPZ	19.30	21.30
		Shorting Link	CCLA35	33.60	-
		Marker	LabelKN17	13.70 (5 labels)	-


Spring Loaded Terminals

CSLT1				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CSLT1	73.50	80.90
		End Plate	EPSL	15.60	17.20
		Shorting Link	CCLA1L	29.70	-
		Marker	LabelKN10	12.60	-

Stud Type Terminals (Screw Driver Operated)

CATM3*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CATM3	52.50	57.80
		End Plate	EPS4	12.00	13.20
		Shorting Link	ASL1	31.90	-
		Marker	LabelKN6.5	10.50	-

CATM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CATM4	57.80	63.60
		End Plate	EPS4	12.00	13.20
		Shorting Link	ADSL	29.70	-
		Marker	LabelKN8	11.60	-


CATM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CATM5	73.50	80.90
		End Plate	EPS4	12.00	13.20
		Shorting Link	ADSL	29.70	-
		Marker	LabelKN8	11.60	-


* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine




Stud Type Terminals (Nut Driver Operated)


CBTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM4	57.80	63.60
	Voltage: 1100 V	End Plate	EPS4	12.00	13.20
	Current: 57 A	Shorting Link	KSL5	30.80	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 1.2 Nm				


CBTM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM5	73.50	80.90
	Voltage: 1100 V	End Plate	EPS4	12.00	13.20
	Current: 76 A	Shorting Link	KSL5	30.80	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.50	-
	Torque: 2 Nm				

CBTM6*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM6	120.80	132.90
	Voltage: 1100 V	End Plate	EPS4	12.00	13.20
	Current: 125 A	Shorting Link	BSL6	33.00	-
	Wire Size: 35 mm ²	Marker	LabelKN8	11.60	-
	Torque: 2.5 Nm				


CBTM6S1*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBTM6S1	147.00	161.70
	Voltage: 1100 V	End Plate	EPS5/6	17.40	19.20
	Current: 125 A	Shorting Link	Not Available	-	-
	Wire Size: 35 mm ²	Marker	LabelKN8	11.60	-
	Torque: 2.5 Nm				


Stud Type Terminals (Screw & Nut Driver Operated)

CABTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CABTM4	66.20	72.90
	Voltage: 1100 V	End Plate	EPS4	12.00	13.20
	Current: 57 A	Shorting Link	ADSL	29.70	-
	Wire Size: 10 mm ²	Marker	LabelKN8	11.60	-
	Torque: 1.2 Nm				


PSC1/5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PSC1/5	600.00	-
	Voltage: 600 V	End Plate	Not Required	-	-
	Current: 25 A	Shorting Link	Not Available	-	-
	Per Contact Wire Size: 2.5 mm ²	Marker	Not Required	-	-
	Torque: 0.5 Nm				


Test - Disconnect Terminals


CATDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CATDM4	115.50	127.10
	Voltage: 1100 V	End Plate	EPD4	19.30	21.30
	Current: 41 A	Shorting Link	ADSL	29.70	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 1.2 Nm				


CLTDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CLTDM4	105.00	115.50
	Voltage: 1100 V	End Plate	EPLD4	19.30	21.30
	Current: 45 A	Shorting Link	ADSL	29.70	-
	Wire Size: 6 mm ²	Marker	LabelKN5.5	10.00	-
	Torque: 1.2 Nm				


Power Terminals

CBT100				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT100	136.50	150.20
	Voltage: 1100 V	End Plate	EPS5/6	17.40	19.20
	Current: 125 A	Shorting Link	Not Available	-	-
	Wire Size: 35 mm ²	Marker	LabelKN8	11.60	-
	Torque: 2.5 Nm				

CBT110				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT110	252.00	277.20
	Voltage: 1000 V	Barrier Plate	BPA110	45.60	50.20
	Current: 150 A	Shorting Link	Not Available	-	-
	Wire Size: 30-35 mm ²	Marker	LabelKN10	12.60	-
	Torque: 3 Nm				

CBT170				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT170	409.50	450.50
	Voltage: 1000 V	Barrier Plate	BPA17/25	50.20	55.30
	Current: 192 A	Shorting Link	Not Available	-	-
	Wire Size: 50-70 mm ²	Marker	LabelKN10	12.60	-
	Torque: 6 Nm				

CBT250				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT250	483.00	531.30
	Voltage: 1000 V	Barrier Plate	BPA17/25	50.20	55.30
	Current: 250 A	Shorting Link	Not Available	-	-
	Wire Size: 70-95 mm ²	Marker	LabelKN10	12.60	-
	Torque: 10 Nm				


CBT300				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	CBT300	525.00	577.50
	Voltage: 1000 V	Barrier Plate	BPA17/25	50.20	55.30
	Current: 300A	Shorting Link	Not Available	-	-
	Wire Size: 70-120 mm ²	Marker	LabelKN10	12.60	-
	Torque: 10 Nm				


* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine




Power Terminals (With Tapped Current Bar)

CBT110T				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 35-50 mm ² Torque: 3 Nm	Terminal	CBT110T		257.30	283.10
	Barrier Plate	BPA110		45.60	50.20
	Shorting Link	Not Available		-	-
	Marker	LabelKN10		12.60	-

CBT170T				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm	Terminal	CBT170T		430.50	473.60
	Barrier Plate	BPA17/25		50.20	55.30
	Shorting Link	Not Available		-	-
	Marker	LabelKN10		12.60	-

CBT250T				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm	Terminal	CBT250T		504.00	554.40
	Barrier Plate	BPA17/25		50.20	55.30
	Shorting Link	Not Available		-	-
	Marker	LabelKN10		12.60	-

CBT300T				Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm ² Torque: 10 Nm	Terminal	CBT300T		640.50	704.60
	Barrier Plate	BPA17/25		50.20	55.30
	Shorting Link	Not Available		-	-
	Marker	LabelKN10		12.60	-

Price List for Terminals: Polyamide 6.6

PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
Suitable For Feed Through Terminals				
KUT2.5	Elmex Electric	100	12.10	13.40
KUT4	Elmex Electric	100	14.70	16.20
KUT6	Elmex Electric	100	20.60	22.70
KUT10	Elmex Electric	100	26.80	29.50
KUT16	Elmex Electric	100	48.30	53.20
KUT25	Elmex Electric	100	78.80	86.70
KUT35	Elmex Electric	50	113.40	124.80
KUT50	Elmex Electric	10	320.30	352.40
KUT50/70A	Elmex Electric	10	320.30	352.40
KUT95	Elmex Electric	10	530.30	583.33
KUT4-1X2	Elmex Electric	100	33.60	37.00
KUT4-2X2	Elmex Electric	100	46.20	50.90
Suitable For Earth Terminals				
ET4	Elmex Electric	100	104.00	-
ET6	Elmex Electric	50	120.80	-
ET10	Elmex Electric	50	153.30	-
ET16	Elmex Electric	50	168.00	-
ET35	Elmex Electric	20	367.50	-
ET50	Elmex Electric	20	880.00	-
Suitable For Double Deck Terminals				
KU2D4	Elmex Electric	100	37.80	41.60
KU2D4S	Elmex Electric	100	51.50	56.70
KUDD4	Elmex Electric	100	42.00	46.20
Suitable For Spring Loaded Terminals				
KULT4	Elmex Electric	100	43.60	48.00
KULT6	Elmex Electric	100	46.20	50.90
KULT1	Elmex Electric	100	59.90	65.90
Suitable For Thermocouple Terminals				
KUT4NTCK	Elmex Electric	50	115.50	127.10
KUT4NTCJ	Elmex Electric	50	147.00	161.70
KUT4NTCT	Elmex Electric	50	147.00	161.70
KUT4NTCE	Elmex Electric	50	147.00	161.70
Suitable For Triple Deck Terminals				
DU3D4	Elmex Electric	100	105.00	115.50
DUSD4	Elmex Electric	100	63.00	69.30
Suitable For Photovoltaic Terminals				
KUT2.5N	Elmex Electric	100	14.00	15.40
KUT4N	Elmex Electric	100	17.00	18.70
KUT6N	Elmex Electric	100	22.30	24.60
KUT10N	Elmex Electric	100	29.60	32.60
KUDD4N	Elmex Electric	100	52.50	57.80
Suitable For Earth Terminals (N - Series)				
ETN4	Elmex Electric	100	110.30	-
ETN6	Elmex Electric	100	123.90	-
ETN10	Elmex Electric	100	144.90	-
ETDD4N	Elmex Electric	100	173.30	-
Suitable For Stud Type Terminals				
KATM3	Elmex Electric	100	43.60	48.00
KATM3C	Elmex Electric	50	56.70	62.40
KATM4	Elmex Electric	50	58.30	64.20
KATM4C	Elmex Electric	50	65.10	71.70
KATM5	Elmex Electric	50	65.10	71.70
KATM5C	Elmex Electric	50	73.50	80.90
KABTM3	Elmex Electric	50	44.10	48.60
KABTM4	Elmex Electric	50	57.80	63.60
KABTM5	Elmex Electric	50	64.60	71.10
KABTM4C	Elmex Electric	50	65.10	71.70
KABTM5C	Elmex Electric	50	74.60	82.10
KATM3E	Elmex Electric	50	33.10	36.50
KATM4E	Elmex Electric	50	37.80	41.60
KBTM4	Elmex Electric	50	57.80	63.60
KBTM4C	Elmex Electric	50	66.20	72.90
KBTM5-15	Elmex Electric	50	65.10	71.70
KBTM5-15C	Elmex Electric	50	75.60	83.20
KBTM6	Elmex Electric	50	92.40	101.70
KBTM6C	Elmex Electric	50	110.30	121.40
KBTM4E	Elmex Electric	50	42.00	46.20
KBTM5E	Elmex Electric	50	48.30	53.20
KBTM6E	Elmex Electric	50	78.80	86.70
OAT2.5	Elmex Electric	50	54.60	60.10
OAT6	Elmex Electric	50	66.20	72.90

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
OAT25	Elmex Electric	50	157.50	173.30
Suitable For Fuse Terminals				
KUDF4NV	Elmex Electric	100	51.50	56.70
KUDF4AD	Elmex Electric	100	76.70	84.40
KUFH4	Elmex Electric	100	107.50	118.30
KUFH4D	Elmex Electric	100	141.90	156.10
KUFH4A	Elmex Electric	100	141.90	156.10
KUF10	Elmex Electric	100	144.40	158.90
KUF10D	Elmex Electric	100	165.20	181.80
KUF10A	Elmex Electric	100	171.00	188.10
Suitable For Fuse Feed Through Terminals				
KUDDF4	Elmex Electric	100	122.90	135.20
KUDDF4AD	Elmex Electric	100	140.70	154.80
Suitable For Plug and Socket				
PS8M - 2 Way	Elmex Electric	20	150.00	-
PS8M - 3 Way	Elmex Electric	20	225.00	-
PS8M - 4 Way	Elmex Electric	20	300.00	-
PS8M - 5 Way	Elmex Electric	20	375.00	-
PS8M - 6 Way	Elmex Electric	20	450.00	-
PS8M - 7Way	Elmex Electric	20	525.00	-
PS8M - 8 Way	Elmex Electric	20	600.00	-
PS8M - 10 Way	Elmex Electric	20	750.00	-
Suitable For Disconnecting Terminals (Sliding Link Type)				
KLTD4NV	Elmex Electric	50	80.00	88.00
KLTD4-2W	Elmex Electric	25	227.40	250.20
KUTSD6	Elmex Electric	50	84.00	92.40
KUTD10	Elmex Electric	50	121.80	134.00
KULTD6	Elmex Electric	50	157.50	173.30
OAT6T	Elmex Electric	50	108.00	118.80
OAT6DTS	Elmex Electric	40	110.00	121.00
OAT6DTS - 2Way	Elmex Electric	20	236.30	260.00
OAT10DTS	Elmex Electric	50	144.90	159.40
Suitable For Disconnecting Terminals (Knife Edge Type)				
KULTD4	Elmex Electric	100	52.50	57.80
KULTD4WS	Elmex Electric	100	126.00	138.60
KULTD4TS	Elmex Electric	100	94.50	104.00
KUDT4-2X2	Elmex Electric	100	97.70	107.50
KUDT6	Elmex Electric	100	100.80	110.90
Suitable For Power Terminals				
PAT30	Elmex Electric	100	37.80	41.60
PAT100	Elmex Electric	25	149.10	164.10
PAT150	Elmex Electric	10	236.30	260.00
PAT250	Elmex Electric	10	357.00	392.70
KBT100	Elmex Electric	25	89.30	98.30
DPBB50	Elmex Electric	10	204.80	225.30
DPBB50CN	Elmex Electric	10	213.70	235.10
DPBB70	Elmex Electric	10	278.30	306.20
DPBB70CN	Elmex Electric	10	289.30	318.30
DPBB120	Elmex Electric	10	405.30	445.90
DPBB120CN	Elmex Electric	10	417.90	459.70
DPBB185N	Elmex Electric	10	987.00	1085.70
DPBB240	Elmex Electric	10	1055.30	1160.90
SPT35	Elmex Electric	10	305.60	336.20
SPT70	Elmex Electric	10	465.20	511.80
SPT95	Elmex Electric	10	488.30	537.20
SPT120	Elmex Electric	10	787.50	866.30
SPT150	Elmex Electric	10	798.00	877.80
SPT185	Elmex Electric	10	1270.50	1397.60
SPT240	Elmex Electric	10	1270.50	1397.60
SPT300	Elmex Electric	10	1617.00	1778.70
Suitable For Distribution Blocks				
FDBK-1X2	Elmex Electric	10	197.40	217.20
FDBK-1X4	Elmex Electric	10	231.00	254.10
FDBK-1X8	Elmex Electric	10	359.10	395.10
FDBK3	Elmex Electric	10	87.90	96.70
FDBK4	Elmex Electric	10	117.10	128.90
FDBK8	Elmex Electric	10	234.20	257.70
DBK-1X2	Elmex Electric	10	241.50	265.70
DBK-1X4	Elmex Electric	10	315.00	346.50

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DBK-1X8	Elmex Electric	10	456.80	502.50
DFBK12	Elmex Electric	10	357.00	392.70
DBK3	Elmex Electric	10	114.60	126.10
DBK4	Elmex Electric	10	152.80	168.10
DBK5	Elmex Electric	10	191.00	210.10
DBK8	Elmex Electric	10	305.60	336.20
DBK150/16-1X2	Elmex Electric	10	877.80	965.60
DBK150/16-1X4	Elmex Electric	10	993.30	1092.70
DBK150/16-1X8	Elmex Electric	10	1224.30	1346.80
DBK150/25-1X2	Elmex Electric	10	981.80	1080.00
DBK150/25-1X4	Elmex Electric	10	1131.90	1245.10
DBK150/25-1X8	Elmex Electric	10	1432.20	1575.50
DBK150/M6C-1X2	Elmex Electric	10	1201.20	1321.40
DBK150/M6C-1X4	Elmex Electric	10	1362.90	1499.20
DBK150/M6C-1X8	Elmex Electric	10	1686.30	1855.00
DBD16	Elmex Electric	10	399.00	438.90
DBD35	Elmex Electric	10	572.30	629.60
Suitable For Component Housings				
KPCH4*	Elmex Electric	100	97.70	107.50
KPCH6*	Elmex Electric	100	121.30	133.50
KUDD4CC1	Elmex Electric	100	92.40	101.70
KUDD4CC2	Elmex Electric	100	92.40	101.70
KUDD4CA1	Elmex Electric	100	92.40	101.70
KUDD4CA2	Elmex Electric	100	92.40	101.70
KUDD4D1	Elmex Electric	100	92.40	101.70
KUDD4R	Elmex Electric	100	92.40	101.70
KUDD4MOV	Elmex Electric	100	138.60	152.50
Suitable For Micro Terminals				
SUT4	Elmex Electric	100	13.40	14.80
SET4	Elmex Electric	100	68.30	-
PET4	Elmex Electric	100	16.80	18.50
PBTM3	Elmex Electric	100	12.60	-
PBTM4	Elmex Electric	100	14.70	-
Suitable For Spring Clamp Terminals				
DST2.5	Elmex Electric	100	14.20	15.70
DST4	Elmex Electric	100	24.20	26.70
DST6	Elmex Electric	50	48.30	53.20
DST10	Elmex Electric	20	96.60	106.30
DST16	Elmex Electric	100	131.30	144.50
DST35	Elmex Electric	100	430.50	473.60
DST2.5-1X2	Elmex Electric	100	34.10	37.60
DST2.5-2X2	Elmex Electric	100	36.80	40.50
DST4-1X2	Elmex Electric	100	45.20	On Request
DST4-2X2	Elmex Electric	100	54.10	On Request
DST6-1X2	Elmex Electric	100	105.00	On Request
DST10-1X2	Elmex Electric	100	162.80	On Request
DST16-1X2	Elmex Electric	100	199.50	On Request
DST2.5-2C1P	Elmex Electric	100	44.10	48.60
DST2.5-2C2P	Elmex Electric	100	51.50	56.70
DST2.5C1PP - 1 Way	Elmex Electric	50	39.90	-
SCT2.5	Elmex Electric	20	14.10	15.60
SCT4	Elmex Electric	100	22.60	24.90
SCT6	Elmex Electric	100	59.90	65.90
SCT10	Elmex Electric	100	69.30	76.30
DSDD2.5	Elmex Electric	100	39.90	On Request
DS3L2.5	Elmex Electric	100	127.10	On Request
DS8LP16	Elmex Electric	100	On Request	-
DS8LP32	Elmex Electric	100	On Request	-
DCF4	Elmex Electric	100	89.30	On Request
DCF4D	Elmex Electric	50	119.70	On Request
DCF4A	Elmex Electric	50	119.70	On Request
SCF6	Elmex Electric	50	262.50	On Request
DSDT2.5	Elmex Electric	100	59.90	On Request
DSDT2.5-2X2	Elmex Electric	100	65.10	On Request
DTB35-10	Elmex Electric	100	252.00	On Request
DTB35-10X4	Elmex Electric	100	262.50	On Request
DSET2.5	Elmex Electric	10	94.50	-
DSET4	Elmex Electric	10	95.60	-
DSET6	Elmex Electric	100	199.50	-
DSET10	Elmex Electric	100	252.00	-
SCET4	Elmex Electric	100	94.50	-

Price List for Terminals: Polyamide 6.6, Melamine, Neutral Links, PCB Connectors



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6, MELAMINE, NEUTRAL LINKS, PCB CONNECTORS

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DSET2.5-1X2	Elmex Electric	100	140.70	-
DSET2.5-2X2	Elmex Electric	100	141.80	-
MCT2.5MC	Elmex Electric	100	20.00	On Request
SCT2.5MC	Elmex Electric	100	19.80	On Request
MCT1.5	Elmex Electric	100	8.90	On Request
MCT2.5	Elmex Electric	100	10.60	11.70
MCT2.5P4	Elmex Electric	100	20.00	On Request
MCT4	Elmex Electric	100	16.80	18.50
MCT4P4	Elmex Electric	100	31.50	On Request
DMCT2.5P4	Elmex Electric	100	33.60	-
DPSC5.08WW (2 Way)	Elmex Electric	100	120.80	-
DPSC5.08WW (3 Way)	Elmex Electric	100	181.20	-
DPSC5.08WW (4 Way)	Elmex Electric	20	241.60	-
DPSC5.08WW (5 Way)	Elmex Electric	20	302.00	-
DPSC5.08WW (6 Way)	Elmex Electric	20	362.40	-
DPSC5.08WW (8 Way)	Elmex Electric	20	483.20	-
DPSC5.08PM (2 Way)	Elmex Electric	20	136.50	-
DPSC5.08PM (3 Way)	Elmex Electric	20	204.80	-
DPSC5.08PM (4 Way)	Elmex Electric	20	273.00	-
DPSC5.08PM (5 Way)	Elmex Electric	20	341.30	-
DPSC5.08PM (6 Way)	Elmex Electric	20	409.50	-
DPSC5.08PM (8 Way)	Elmex Electric	20	546.00	-
Suitable For Lighting Pole Terminals				
LPT225	Elmex Electric	20	94.50	104.00
LPT235	Elmex Electric	20	257.30	283.10
LPT325	Elmex Electric	20	144.90	159.40
LPT335	Elmex Electric	20	330.80	363.90
Suitable For Neutral Links				
KNL4	Elmex Electric	50	17.90	-
KNL16	Elmex Electric	50	23.70	-
KNL35	Elmex Electric	50	42.00	-
Suitable For Feed Through Terminals (Melamine)				
CST2.5	Elmex Controls	100	20.00	22.00
CST6	Elmex Controls	100	24.20	26.70
CST10	Elmex Controls	100	32.60	35.90
CST16	Elmex Controls	100	52.50	57.80
CST25	Elmex Controls	100	73.50	80.90
CST35	Elmex Controls	50	141.80	156.00
Suitable For Spring Loaded Terminals				
CSLT1	Elmex Controls	100	73.50	80.90
Suitable For Stud Type Terminals				
CATM3	Elmex Controls	50	52.50	57.80
CATM4	Elmex Controls	50	57.80	63.60
CATM5	Elmex Controls	50	73.50	80.90
CBTM4	Elmex Controls	50	57.80	63.60
CBTM5	Elmex Controls	50	73.50	80.90
CBTM6	Elmex Controls	50	120.80	132.90
CBTM6S1	Elmex Controls	50	147.00	161.70
CABTM4	Elmex Controls	50.	66.20	72.90
Suitable For Plug and Socket				
PSC1/5	Elmex Controls	20	600.00	-
Suitable For Test - Disconnect Terminals				
CATDM4	Elmex Controls	50	115.50	127.10
CLTDM4	Elmex Controls	50	105.00	115.50
Suitable Power Terminals				
CBT100	Elmex Controls	10	136.50	150.20
CBT110	Elmex Controls	10	252.00	277.20
CBT170	Elmex Controls	10	409.50	450.50
CBT250	Elmex Controls	10	483.00	531.30
CBT300	Elmex Controls	10	525.00	577.50
CBT110T	Elmex Controls	10	257.30	283.10
CBT170T	Elmex Controls	10	430.50	473.60
CBT250T	Elmex Controls	10	504.00	554.40
CBT300T	Elmex Controls	10	640.50	704.60

Price List for Accessories



MOUNTING CHANNELS

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each) For Hexavalent Plating	Rate in Rs. (Per Each) For Trivalent Plating
Mounting Rails with Zinc Plating					
32mm Rails for Melamine Terminals, K-Series Terminals and C- Series Terminals					
300mm Length	Elmex Controls	CHS3	-	69.00	79.00
500mm Length	Elmex Controls	CHS5	-	116.00	129.00
1000mm Length (1 Meter)	Elmex Controls	CHS10	-	210.00	234.00
1000mm Length (1 Meter)	Elmex Controls	CHSS10	-	242.00	247.00
2000mm Length (2 Meter)	Elmex Controls	CHS20	-	441.00	488.00
35mm Rails (7.5mm Depth) for K-Series Terminals					
300mm Length	Elmex Electric	CHK3	-	42.00	47.00
500mm Length	Elmex Electric	CHK5	-	63.00	75.00
1000mm Length (1 Meter)	Elmex Electric	CHK10	-	121.00	126.00
35mm Rails Perforated Rail (7.5mm Depth) 1000mm Length	Elmex Electric	CHKS10	-	142.00	156.00
35mm Rails (15mm Depth)					
35mm Rails (15mm Depth) for K-Series Terminals 1000mm Length	Elmex Electric	CHKD10	-	221.00	230.00
35mm Rails Perforated Rail (15mm Depth) 1000mm Length	Elmex Electric	CHKDS10	-	244.00	254.00
15mm Rails For Micro Terminals					
500mm Length	Elmex Electric	CHM5	-	58.00	66.00
1000m Length (1 Meter)	Elmex Electric	CHM10	-	105.00	113.00
SIDE CLAMPS					
End Clamps suitable for 32mm Rail	Elmex Controls	SCS (METALLIC)	200	8.50	-
End Clamps suitable for 32mm Rail	Elmex Controls	SCSN (MELAMINE)	200	12.00	-
End Clamps suitable for 15mm Rail	Elmex Electric	SCMN (POLYAMIDE 6.6)	100	9.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCKN (POLYAMIDE 6.6)	100	11.00	-
End Clamps suitable for 35mm Rail with Marking Label Holder	Elmex Electric	SCKNMLH (POLYAMIDE 6.6)	100	19.00	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUN (POLYAMIDE 6.6)	100	14.00	-
End Clamps suitable for 32mm and 35mm Rail with Marking Label Holder	Elmex Electric	SCUNMLH (POLYAMIDE 6.6)	100	22.50	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUDD (POLYAMIDE 6.6)	100	29.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCEC35 (POLYAMIDE 6.6)	100	15.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCUP (POLYAMIDE 6.6)	100	14.50	-
End Clamps suitable for 32mm and 35mm Rail (Screwless)	Elmex Electric	SCUSL (POLYAMIDE 6.6)	100	32.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN (POLYAMIDE 6.6)	100	13.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN10(POLYAMIDE 6.6)	100	15.50	-
Marking Label Holder for DCKN	Elmex Electric	MLH for DCKN	100	12.00	-
Screwless End Clamps suitable for 35mm Rail with Marking Label Holder (Screwless)	Elmex Electric	DCKNMLH (POLYAMIDE 6.6)	100	25.00	-

Price List for Accessories



MARKING LABELS Snap-On Type Marking Label Strips (1 Strip = 10 Nos.)	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs. (Per Strip of 10 labels) For Blank	Rate in Rs. (Per Strip of 10 labels) *For Printed.
For Terminal Type					
DST2.5, SCT2.5, DST2.5-1X2, DST2.5-2X2, DSDT2.5-2X2, KUT2.5N SCT2.5MC, DST2.5-2C1P, DST2.5-2C2P, DSET2.5, DSET2.5-1X2, DSET2.5-2X2	LABEL KN5	Elmex Electric	100	10.50	11.60
KUT2.5, KULT4, ET4, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, KU2D4, DUSD4 KU2D4S, KUDD4, DU3D4, KLTD4, KLTD4, KULTD4, KULTD4WS, KULTD4TS, DBK2.5, SUT4, DST4, SCT4, SCET4, DSET4, MCT2.5, DSDD2.5, KUT4-1X2, KUT4-2X2, KPCH4, ETN4 ETDD4N, KUDT4-2X2, MCT2.5, MCT2.5P4, MCT2.5MC, DS3L 2.5, DST4-1X2, KUDD4N, DST4-2X2, CST35, CATDM4, CLTDM4, KLTDM4-2W	LABEL KN5.5	EC/EE	100	9.00	10.00
KUT4, KATM3, KATM4, KATM5, KBTM4, KABTM4, KBTM5-15, KBTM6, KBT100, MCT4, KNL4, OAT2.5, PS8M, FDBK3, FDBK4, FDBK8, FDBK-1X2, FDBK-1X2, FDBK-1X4, KATM3E, KATM4E, KBTM4E, KBTM5E, KATM3C, KABTM3, KABTM5, CST2.5, CST6, CATM3, CBTM5	LABEL KN6.5	EC/EE	100	9.50	10.50
KUT6, KULT6, KUDF4, KUDF4AD, KUDDF4, KUDDF4AD, DS8LP16/32, KUTSD6, ETN6, KUTD10, KULTD6, ET6, DST6, DCF4, DSET6, KNL16, PAT30, PAT100, PAT150, KUT6N, PAT250, KUDT6, SCT6, DST6-1X2, CBTM6, CBTM6S1, CBT100, CABTM4	LABEL KN8	EC/EE	100	10.50	11.60
OAT6, OAT6T, KUFH4, KUFH4A, KUFH4D, OAT6DTS, OAT6DTS-2W	LABEL KN9	Elmex Electric	100	10.50	11.60
KUT10, KULT1, DPBB50/50CN, DPBB70/70CN, DPBB120/120CN, DPBB185N, DPBB240, DFBK12, DBK3, DBK4, DBK5, DBK8, DBK-1X2, DBK-1X4, DBK-1X8, DST10, LPT225, LPT325, DSET10, MCT2.5P4, DMCT2.5P4, KATM4C, KATM5C, KBTM4C, KABTM4C, KABTM5C, DST10-1X2, CST10, CST16, CSLT1, CBT110, CBT170, CBT250, CBT300, CBT110T, CBT170T, CBT250T, CBT300T, KUT10N, ETN10	LABEL KN10	EC/EE	100	11.60	12.60
KUT16, KUT25, ET16, ET35, KUF10, KUF10A*, KUF10D, DBK150/16-1X2, OAT10DTS, DBK150/16-1X4, DBK150/16-1X8, DBK150/25 Series, DST16, LPT235, LPT335, DBD16, DBD35, MCT4P4, DBK150/M6C Series, SPT Series, KBTM5-15C, KBTM6E, SCF6, DST16-1X2, DTB35-10X4, CST25	LABEL KN12	EC/EE	100	10.50 (For 5 label Strip)	12.60 (For 5 label Strip)
KUT35, KUT50, KUT95, ET50, KBTM6C, OAT25, CST70, CST185, DTB35-10	LABEL KN17	Elmex Electric	100	11.60 (For 5 label Strip)	13.70 (For 5 label Strip)

WARNING LABELS	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs.
Warning Labels with Mounting Screws(Nylon) for Standard Terminals				
KUT2.5	WL2.5	Elmex Electric	10	On Request
KUT4, KUT4N, CST2.5	WL4	Elmex Electric	10	On Request
KUT6, CST6	WL6	Elmex Electric	10	On Request
KUT10, CST10	WL10	Elmex Electric	10	On Request
KUT16, KUT25, CST16	WL16	Elmex Electric	10	On Request
PVC Group Marking Carrier				
For 32mm DIN Rail	GMC	Elmex Controls	-	39.60
For 32mm DIN Rail - 10mm Thick	GMH10	Elmex Electric	50	19.30
For 32mm DIN Rail - 20mm Thick	GMH20	Elmex Electric	50	28.90
Barrier Plate Universal Rail Mounted to Support PCK3	UHDD	EC/EE	50	35.40

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5	Elmex Electric	KPNS	100	6.90	7.60
KUT4, KUT6, KUT10	Elmex Electric	KPX	100	7.90	8.70
KUT4-1X2	Elmex Electric	KPM4	100	14.30	15.80
KUT4-2X2, KUDD4-2X2	Elmex Electric	KPMD4	100	19.70	21.70
KUT16	Elmex Electric	KPY	100	10.30	11.40
KUT25	Elmex Electric	KPT	100	10.30	11.40
KU2D4, KU2D4S	Elmex Electric	EPDD4	100	13.80	15.20
KUDD4, KUDD4CC1, KUDD4CC2, KUDD4CA1, KUDD4CA2, KUDD4D1, KUDD4R, KUDD4MOV	Elmex Electric	KPDD	100	13.80	15.20
DU3D4	Elmex Electric	DP3D	100	19.20	21.20
DUSD4	Elmex Electric	DPSD	100	14.40	15.90
KULT4, KULT6, KULT1	Elmex Electric	KPSL	100	14.40	15.90
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE	Elmex Electric	KPXN	100	9.50	10.50
KUDD4N, ETTD4N	Elmex Electric	KPDDN	100	21.60	23.80
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4, KABTM3, KABTM5, KATM3E, KATM4E, KBTM4E, KBTM5E	Elmex Electric	KPS4	100	12.60	13.90
KBTM6E	Elmex Electric	KPS6	100	15.70	17.30
OAT2.5	Elmex Electric	OEP2.5	100	11.70	12.90
OAT6	Elmex Electric	OEP6	100	12.60	13.90
OAT25	Elmex Electric	OEP25	100	16.80	18.50
OAT6T	Elmex Electric	OEP6T	100	18.10	20.00
OAT6DTS, OAT6DTS-2W	Elmex Electric	OEP6DTS	100	18.60	20.50
OAT10DTS	Elmex Electric	OEP10DTS	100	21.20	23.40
KUF10, KUF10D, KUF10A	Elmex Electric	EPF10	100	21.70	23.90
KUFH4, KUFH4D, KUFH4A	Elmex Electric	EPFH	100	15.60	17.20
KLTD4MV, KLTD4-2W	Elmex Electric	KPLD	100	17.40	19.20
KUTSD6	Elmex Electric	KPSD	100	15.60	17.20
KUTD10	Elmex Electric	KPTD	100	17.40	19.20
KULTD6	Elmex Electric	KPSLD	100	16.80	18.50
KULTD4, KULTD4WS, KULTD4TS, KPCH4, KPCH6, KUDD6	Elmex Electric	KPSD4	100	13.30	14.70
KBT100	Elmex Electric	KPS100	100	15.20	16.80
DS3L2.5	Elmex Electric	DSEP3	100	35.90	On Request
DS8LP16, DS8LP32	Elmex Electric	DSEP8	100	On Request	-
SUT4	Elmex Electric	ES4	100	7.90	8.70
PET4	Elmex Electric	EPP	100	9.60	10.60
DST2.5	Elmex Electric	DSEP2.5	100	7.60	8.50
DST4, DSET4	Elmex Electric	DSEP4	100	9.10	10.10
DST6, DSET6	Elmex Electric	DSEP6	100	10.80	12.00
DST10, DSET10	Elmex Electric	DSEP10	100	11.50	12.80
DST16	Elmex Electric	DSEP16	100	18.10	20.20
SCT2.5, SCT2.5MC	Elmex Electric	SEP2.5	100	6.30	7.00
SCT4, SCET4	Elmex Electric	SEP4	100	7.10	7.90
SCT6	Elmex Electric	SEP6	100	9.60	10.60
SCT10	Elmex Electric	SEP10	100	10.90	12.00
DST2.5-1X2	Elmex Electric	DSMP2.5-1X2	100	9.10	10.10
DST2.5-2X2	Elmex Electric	DSMP2.5-2X2	100	9.60	10.60
DST4-1X2	Elmex Electric	DSMP4-1X2	100	11.20	12.40
DST4-2X2	Elmex Electric	DSMP4-2X2	100	13.80	15.20
DST6-1X2	Elmex Electric	DSMP6-1X2	100	13.80	15.20
DST10-1X2	Elmex Electric	DSMP10-1X2	100	14.20	15.70
DST16-1X2	Elmex Electric	DSMP16-1X2	100	15.60	17.20
DST2.5-2C1P	Elmex Electric	DSMP2.5-2C1P	100	15.10	16.70
DST2.5-2C2P	Elmex Electric	DSMP2.5-2C2P	100	18.10	20.00
DSDT2.5	Elmex Electric	DPDT2.5	100	10.10	On Request
DSDT2.5-2X2	Elmex Electric	DPMDT2.5	100	12.90	On Request
DSDD2.5	Elmex Electric	DPDD2.5	100	13.30	On Request
DCF4, DCF4D, DCF4A	Elmex Electric	DFEP	100	15.10	On Request
SCF6	Elmex Electric	SFEP6	100	12.60	On Request
MCT1.5	Elmex Electric	MEP1.5	100	4.60	On Request
MCT2.5, MCT2.5P4	Elmex Electric	MEP2.5	100	5.00	5.50
MCT2.5MC	Elmex Electric	MEP2.5MC	100	7.60	On Request
MCT4, MCT4P4	Elmex Electric	MEP4	100	8.80	9.70
DMCT2.5P4	Elmex Electric	DMEP2.5P4	100	12.00	-

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
PAT30	Elmex Electric	EPA30	100	15.10	16.70
PAT100, PAT150, PAT250	Elmex Electric	EPA100	100	21.60	23.80
PBTM3, PBTM4	Elmex Electric	EPBM4	100	8.60	-
CST2.5, CST6, CST10	EC/EE	EPX	100	9.10	10.10
CST16	Elmex Controls	EPY	100	17.40	19.20
CST25	Elmex Controls	EPT	100	18.10	20.00
CST35	Elmex Controls	EPZ	100	19.30	21.30
CATM3, CATM4, CATM5, CBTM4, CBT M5, CBT M6, CABTM4	Elmex Controls	EPS4	100	12.00	13.20
CBTM6S1, CBT100	Elmex Controls	EPS5/6	100	17.40	19.20
CATDM4	Elmex Controls	EPD4	100	19.30	21.30
CLTDM4	Elmex Controls	EPLD4	100	19.30	21.30
CSLT1	Elmex Controls	EPSL	100	15.60	17.20

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5, DBK2.5	Elmex Electric	KBM	100	15.10	16.70
KUT4, KST4UWS, KUT6, KUT10, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK8, FDBK1X4, FDBK1X8, DFBK12	Elmex Electric	KBX	100	18.60	20.50
KST6WS, KUT16, DBK150/16-1X2, DBK150/16-1X4	Elmex Electric	KBY	100	22.90	25.20
KUT25, DBK150/25-1X2, DBK150/25-1X4	Elmex Electric	KBT	100	24.00	26.40
SUT4	Elmex Electric	MBX	100	18.10	20.00
SCT2.5, SCT4	Elmex Electric	DBF1	100	37.20	41.00
DST2.5, DST4, DSET4	Elmex Electric	DBF2	100	39.40	43.40
DST2.5-1X2, DST4-1X2, DSDT2.5, SCT6, SCT10	Elmex Electric	DBF3	100	55.20	60.80
DST6, DST10, DST16, DSET6, DSET10, DST2.5-2X2, DST4-2X2	Elmex Electric	DBF4	100	69.70	76.70
DST6-1X2, DSDT2.5-2X2	Elmex Electric	DBF5	100	89.40	98.40

PARTITION PLATES WITH FOOT

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5, KUT4, KST4UWS, KUT6, KUT10, ET4, ET6, ET10, KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTOM6, KATM3C, KATM4C, KATM5C-15, KBTM6C, KATM3E, KATM4E, KBTM4E, KBTM5E, OAT2.5, OAT6, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK3, FDBK8, FDBK1X4, FDBK1X8, DFBK12, DBK2.5, DBD16, DBD35, KABTM4, CST2.5, CST6, CST10, KBT100, FDBK-1X2, FDBK3/4/8, DBK3/4/5/8, DBK150/M6C-1X2, DBK150/M6C-1X4, DBK150/M6C-1X8	Elmex Electric	KBXF-Grey	100	22.80	25.10
KUT16, KUT25, KUT35, ET16, ET35, KULT4, KULT6, KULT1, KUDF4, KUDF4D, KUDF4A, KUDDF4, KUDDF4D, KUDDF4A, KUF10, KUF10D, KUF10A, KUFH4, KUFH4D, KUFH4A, KULTD4, KULTD4WS, OAT6T, DBK150/16-1X2, DBK150/16-1X4, DBK150/25-1X2, DBK150/25-1X4, KPCH4, KUDT6, KUPDS6, CST16, CST25, CSLT1	Elmex Electric	KBZF-Grey	100	28.70	31.60
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, ETN4, ETN6, ETN10, KUT4-1X2	Elmex Electric	KNBF2.5/10	100	28.70	31.60
DPBB50/50CN, DPBB70/70CN	Elmex Electric	BPN70	20	42.00	46.20
DPBB120/120CN	Elmex Electric	BPN120	20	47.80	52.60
DPBB185N, DPBB240	Elmex Electric	BPA185/240	20	65.80	72.40

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
CBT110, CBT110T	Elmex Controls	BPA110	20	45.60	50.20
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA17/25	20	50.20	55.30
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA25/30	20	65.80	72.40

INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Removable Shorting Links - 2 Ways					
KUT4,CST2.5	EC/EE	RSL2.5	50	6.50	
KUT6, CST6	EC/EE	RSL6	50	6.50	
KUT10, CST10	EC/EE	RSL10	50	7.50	
KUT16, CST16	EC/EE	RSL16	50	10.50	
KUT25, CST25	EC/EE	RSL25	50	16.50	
CST35	Elmex Controls	RSL35	50	22.00	
KUT35	Elmex Electric	RSL35K	50	22.00	
KULT1, CSLT1	EC/EE	RSL1L	50	33.00	
Long Stud With Screws for Removable Shorting Links					
KUT4, KUT6, CST2.5, CST6	EC/EE	LSR2.5-6	50	12.00	
KUT10, KUT16, KUT25, CST10,CST16	EC/EE	LSR10-16	50	13.00	
CST25	Elmex Controls	LSR25	50	20.00	
CST35	Elmex Controls	LSR35	50	28.50	
KUT35	Elmex Electric	LSR35K	50	27.50	
KULT1, CSLT1	EC/EE	LSR1L	50	35.50	
KUT2.5N	Elmex Electric	LSR2.5N	50	11.00	
KUT4N, KUT4-1X2, KUT4-2X2, KUT6N	Elmex Electric	LSR6N	50	12.00	

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Cross Connection Link Assembly for Permanent Shorting 2 way with Captive Screws, Sleeves and Washer					
KUT2.5	Elmex Electric	CCLM2.5K	50	16.50	
KUT4, CST2.5	EC/EE	CCLA2.5	50	19.80	
KUT6, KUT6N, CST6	EC/EE	CCLA6/6N	50	19.80	
KUT10, CST10, KUT10N	EC/EE	CCLA10/10N	50	21.50	
KUT16, CST16	EC/EE	CCLA16	50	25.30	
KUT25, CST25	EC/EE	CCLA25	50	28.10	
CST35	Elmex Controls	CCLA35	50	33.60	
KUT35	Elmex Electric	CCLA35K	50	33.60	
KUT50 , KUT50/70A	Elmex Electric	CCLA50	50	170.50	
KU2D4, KUDD4, SUT4, PET4	EC/EE	CCLADD	50	17.10	
DU3D4, DUSD4	Elmex Electric	CCLATD	50	17.10	
KULT4	Elmex Electric	CCLAK4	50	18.70	
KULT6	Elmex Electric	CCLAK6	50	22.00	
CSLT1	Elmex Controls	CCLA1L	50	29.70	
KULT1	Elmex Electric	CCLA1LK	50	28.60	
KUT2.5N	Elmex Electric	CCLK2.5/CCLM2.5N	50	16.50	
KUT4N, KUT4-1X2, KUT4-2X2	Elmex Electric	CCLA4N	50	18.20	
KUDD4N	Elmex Electric	CCLADDN	50	22.00	

INTER CONNECTING ACCESSORIES

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation -2 Ways for					
KUT2.5N	Elmex Electric	SLC2.5N	50	20.40	
KUT2.5, DU3D4, DUSD4, KULT4, KUDD4N, KULTD4, KULTD4TS, KULTD4WS, KPCH4, KUDD4-2X2, KU2D4, KU2D4S, KUDD4	EC/EE	SLC4N	50	21.50	
KUT4, CST2.5	EC/EE	SLC2.5	50	20.40	
CET4	Elmex Electric	SLE2	50	23.70	
KUT6, KULT6, KUT6N, KUTSD6, KUTD10	EC/EE	SLC6	50	28.60	
KUT10, CST10	EC/EE	SLC10N	50	31.90	
KATM3, KATM3E, KABTM3	Elmex Electric	KSL3	50	28.40	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4	Elmex Electric	KSL4	50	29.70	
KBTM5-15, KABTM5, KBTM5E, CBTM4, CBTM5	EC/EE	KSL5	50	30.80	
KBTM6, CBTM6	EC/EE	KSL6/BSL6	50	33.00	
OAT25	Elmex Electric	KSL7	50	38.00	
OAT2.5	Elmex Electric	OSL2.5	50	27.50	
OAT6, OAT6T, OAT6DTS, OAT6DTS-2W	Elmex Electric	OSL6/OSL6R	50	29.70/35.20	
OAT6DTS-2WSL	Elmex Electric	OSLD6	50	47.30	
OAT10DTS	Elmex Electric	OSLD10	50	71.00	
KUDF4, KUDF4AD, KUDDF4, KUDDF4AD	Elmex Electric	UFSL	50	28.60	
KLTD4NV	Elmex Electric	KDSL4	50	30.80	

INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation - 2 Ways for					
KULTD6	Elmex Electric	KSLD6	50	25.30	
KUTD6	Elmex Electric	SLC6SL	50	25.90	
DTB35-10	Elmex Electric	SLC17.5	50	64.90	
KULTD6, KUPTD6, KUPTD6S	Elmex Electric	SLD6	50	28.60	
CATM3	Elmex Controls	ASL1	50	31.90	
CATM4, CATM5, CATDM4, CLTDM4, CABTM4	Elmex Controls	ADSL/ADSLR	50	29.70/35.80	
Insulated Push-In Type Shorting Link - 2 Ways for					
DST2.5, DCT2.5-1X2, DST2.5-1X2, DST2.5-2X2, SCT2.5, SCT2.5MC	Elmex Electric	SSL2.5	100	12.10	
DST2.5-1C1P, DST2.5-2C2P, DSDD2.5	Elmex Electric	SSL4	100	20.40	
DST4, SCT4, DCF4, DCF4D, DCF4A, DSDD2.5, DST4-1X2/2X2, DS3L2.5	Elmex Electric	SSL6	100	28.60	
DST6, DST6-1X2, SCF6, SCT6	Elmex Electric	SSL10	100	46.20	
DST10, SCT10, DST10-1X2	Elmex Electric	SSL16	100	73.70	
DST16, DST16-1X2	Elmex Electric	SSL35	100	99.00	
DST35, DTB35-10X4	Elmex Electric	MSL1.5	100	17.60	
MCT1.5	Elmex Electric	MSL2.5	100	18.20	
MCT2.5, MCT2.5P4, MCT2.5MC, DMCT2.5P4	Elmex Electric	MSL4	100	23.10	
MCT4, MCT4P4	Elmex Electric				

Available upto 10 ways (No. of ways Required = Rate for 2 ways / 2 x No. of ways Required)

PROTECTION COVER

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
CST2.5, CST6, CST10, KUT4, KUT6, KUT10	Elmex Controls	PCST (300mm)	-	132.00	
CATM3, CATM4, CBTM4, CBTM5, CBTM6, CABTM4	Elmex Controls	PCC3 (300mm)	-	144.00	
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4	Elmex Electric	PCC3K (300mm)	-	144.00	
CBT110, CBT110T (Covers One Terminal Block)	Elmex Controls	PCP110	-	57.00	
CBT110, CBT110T (Covers Two Terminal Block)	Elmex Controls	PCP110L	-	63.50	
DPBB50/50CN, DPBB70/70CN, DPBB120/120CN (Covers One Terminal Block)	Elmex Electric	PCP120	-	51.00	
CBT170, CBT170T (Covers One Terminal Block)	Elmex Controls	PCP170	-	66.00	
CBT170, CBT170T (Covers Two Terminal Block)	Elmex Controls	PCP170L	-	69.00	
CBT250, CBT250T, CBT300, CBT300T (Covers One Terminal Block)	Elmex Controls	PCP250	-	72.00	
CBT250, CBT250T, CBT300, CBT300T (Covers Two Terminal Block)	Elmex Controls	PCP25/30L	-	86.00	
KUTM2.5, KUT2.5, KUT4, KUT6, KUT10, KUT10, KUT16, KUT25, KUT35, ET4, ET6, ET10, ET16, ET35, KU2D4, KULT4, KULT6, KULT1, KUT2.5N, KUT4N, KUT6N, KUT10N, OAT2.5, OAT6, OAT6DTS, OAT6DTS-2W, KULTD4, KULTD4WS, KULTD4TS, KUDD4CC1, KUDD4CC2, KUDD4D1, KUDD4R, KUDD4CA1, KUDD4CA2, KUDT4-2X2, KUDD4MOV, CSTM2.5, CST2.5, CST6, CST10, CST16, CST25, CST2.5WS, CST6WS, CSLT1, ETN4, ETN6, ETN10, KUT4-1X2, KPCH4	EC/EE	PCK3	-	172.00	
CATDM4, CLTDM4, KLDM4	EC/EE	PCD3(300mm)	-	195.00	
CATM3 (Covers Two Terminal Block)	Elmex Controls	PCCM20	-	23.00	
CATM3 (Covers Three Terminal Block), CBTM4, CBTM5 (Covers One Terminal Block)	Elmex Controls	PCCM30	-	23.50	
CATM4, CATM5, CABTM4 (Covers Two Terminal Block)	Elmex Controls	PCCM26	-	20.00	
CATM4, CATM5 (Covers Three Terminal Block)	Elmex Controls	PCCM39	-	26.50	
CBTM4, CBTM5, CBTM5-15 (Covers Three Terminal Block)	Elmex Controls	PCCM45K	-	26.50	
CBTM6 (Covers Three Terminal Block)	Elmex Controls	PCCM60	-	28.50	
CATDM4, CLTDM4 (Covers Two Terminal Block)	Elmex Controls	PCDM26	-	24.00	
CATDM4, CLTDM4 (Covers Three Terminal Block)	Elmex Controls	PCDM39	-	34.50	
KATM3, KATM3E (Covers Two Terminal Block)	Elmex Electric	PCCM17K	-	19.50	
KBTM6 (Covers Three Terminal Block)	Elmex Electric	PCCM51K	-	30.00	
KBT100, CBT100 (Covers Two Terminal Block)	EC/EE	PCCM52K	-	27.50	
KBT100, CBT100 (Covers Three Terminal Block)	EC/EE	PCCM78K	-	43.50	
CBTM6 (Covers Two Terminal Block)	Elmex Controls	PCCM40	-	26.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4 (Covers Two Terminal Block)	Elmex Electric	PCCM26K	-	20.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KBTM5E KABTM4 (Covers Three Terminal Block)	Elmex Electric	PCCM39K	-	26.50	

Note

- The Standard colour of Polyamide 66 Terminals and Accessories will be Grey. The non-standard colour will be Red, Yellow, Blue, Black. Any colour other than these shall be quoted against specific request.
- The Purchase Order for non-standard colour items other than Terminals KUT2.5 to KUT35 and all Stud Type Terminals will be subject to Minimum Order Quantity. Please Contact us for MOQ.
- Standard colour for Melamine Terminals and accessories is Khakhi. The non-standard colour will be Red, Yellow, Blue, Black Only.
- Please contact us for the prices of channels for lengths other than mentioned in the price list.

Terms & Conditions

1. Price : Ex-works Vadodara/ Por/ Itola.
2. Packing & Forwarding : Inclusive of standard packing.
3. GST : Extra as applicable.
4. Freight : To be borne by customer.
5. Payment : 100% advance or as agreed.
6. Dispatch : By Road/Rail/Courier or on request by Air.
7. Insurance : If desired by customer, at his cost.
8. Arbitration : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules.
9. Place of jurisdiction : The competent place of jurisdiction will be Vadodara, Gujarat, India.
10. Shortages/Damage/Loss in Transit : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company.

Special Clauses

1. Deduction : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent.
2. Price Variation : We reserve the rights to revise our Price list as and when required without any prior notice.



Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net